

SPRING 2018

HU23130



















Its 5,5mm diameter probe is linked to your arms thanks to the armband and finger fastener. This allows a total mobility during the operation. It is connected to a transmitter with a powerful Wi-Fi hotspot that you connect to your smartphone thanks to a free app to be downloaded from you App Store. Then from your smartphone, you can take photos and videos that you can then send through email.

The Fingerscope is ideal for mechanical and body repair operations when you can not normally see where you have to work. A few examples are the headlight bulb replacement, the electrical connectors disconnection or other body repair clips, trim fittings or push rivets removal...

No more blindly operation: your vision is at your fingertip!

Transmitter can connect with 5 phones or lpads at the same time.







VISION AT YOUR **FINGERTIPS!**



The Kit features*:

- 5,5mm diameter probe with light dimmer
- Wi-Fi transmitter
- Armband
- Finger fastener
- Belt clip
- Mirror
- Smartphone magnetic support
- USB charging cable
- OTG cable when transmitter used as powerbank

*Iphone NOT included in the kit







LIGHT DIMMER





BELT CLIP





Camera Head	5.5mm	
Tube Length	750mm Tube length: 400mm Micro usb cable length: 350mm	
Imaging Sensor	CMOS VGA SENSOR	
Effective Pixels	640(H) x 480(V)	
Focus Distance	30mm - 80mm	
View Angle	60 degree Fov(D) F2.8 with IR cut	
Working Voltage	5V	
Working Current	400MA/H	
Working Time	6 hours	
USB Interface	Micro Jack	
Package Dimension	Color box	
Standard Accessory	1x USB wire,1x manual	
LED	5.5mm - 6 pcs 0402	



HU23079 4.5MM ANALOG 2 WAYS ARTICULATION PROBE WITH EXCLUSIVE 4.5MM IDEAL FOR COMMON **RAIL ENGINE** 4.5mm analog 2 ways articulation Higher resolution: 640x480 with 4 LED Diameter is 4.5mm with 1 meter ■ Articulation angle is over 170 degree : No need for mirror adapter for side view Light Boost in dark area ■90° image rotations The 13mm shorter distal tip of camera head allows to articulate in smaller space ■ Automotive applications : Ideal for Common Rail engines, Air condition system, Exhaust system, Diesel injection ports, Glow plug ports, Power window ports, Ø 4.5MM Lock of trunk For Exclusive command box features see below **SHORT HEAD**

HU23111



HIGH TECH ANALOG VIDEOSCOPE SYSTEM

■ 7"TFT LCD with digital signal platform

■ 28 languages available in setting manual

■ IP 57 dust/water protection / 1m drop test passed

Only 1.3 Kg

■ 640x480 video/photo resolution

Rechargeable battery with 4-hour capacity, compliant with USB portable power supply

■ Microphone is bundled for audio recording

LED backlight function keys will be operated correctly in dark environment

■ Hand strap is standard for convenient usage

■ Works with any Hubitools probes (except digital)

Delivered with 8GB SD card, AV cable, USB cable & wall-plug charger



HU23112



HD ARTICULATED PROBE HYPERION 6mm - 4 WAYS - 1m

Fast and easy joystick operation: Provides snapshot (freeze image), light+(boost) and light-functions on the controller

Stainless Steel Braided tube: Durable, rusty and temperature resistant

Full ways articulation: Provides flexibilities in narrow space inspection

Dust/water protection: IP55

Probing head diameter 6,0mm

Articulations : Full Ways LED: Front and side

Works on all Hubitools Videoscope systems except HUX1000 and HUX1004







NEW

HU23103



VIDEOSCOPE EXCLUSIVE/ POLAR PIPE INSPECTION SYSTEM KIT (30M PROBE)

■ 7" 28 mm IP68 quality camera with 8 bright LED

30 m semi-rigid probe (IP65 quality)

■ Depth of field: 10mm to ∞

Field of view : 150°

Passes through two 90° elbow bends

Application: building service (construction engineering), heat and air conditioning, water pipe, plumbing, general equipment (tanks, steel pipes), military police (cannonry and gun inspection)...

Kit includes:

Exclusive videoscope (command box)

■ Pipe inspection system (30 m long interchangeable probe) with transmitter (512MHz)

Centring brush (diameter : 100 mm)

Meter

Plastic case



LOCATOR

- Fast Camera detector
- To be used with HU23102 Polar 30m
- Allow to locate precisely the HU23102 Polar camera head in order to avoid damage of diggings, floor removal...
- Camera depth measurement
- Swing locator to find the strongest signal strength
- Screen features arrows, sound intensity and signal strength (%) to indicate the directions to move on













HU23097



You Tube

VIDEOSCOPE EXCLUSIVE/ MINI-POLAR PIPE INSPECTION SYSTEM KIT (10M PROBE)

- 28mm IP68 quality camera with 8 bright LED
- 10m semi-rigid probe (IP65 quality)
- Depth of field: 10mm to ∞
- Passes through two 90° elbow bends
- Application: building service (construction engineering), heat and air conditioning, water pipe, plumbing, general equipment (tanks, steel pipes), military police (cannonry and gun inspection)...

Kit includes:

- Exclusive videoscope (command box)
- Pipe inspection system (10m long probe)
- Handsfree carrying tray with harness












STE78834

SLIM RECHARGEABLE HEAD LAMP









■ 3 modes (165 lm for 4h 15mins - 75 lm for 8h 30mins - 35 lm for 18 hours)

■ Ergonomically shaped board that fits the contours of your head

Headlamp: pivoting head

■ Motion Sensor: Motion sensing mode to turn light on/off without touching the headlamp

Li-ion Battery: Rechargeable Li-ion battery pack

Folding clips to secure headband to a hard hat











STE96285

TIP Ø 5MM

BEND A LIGHT LED PRO

■ Goes where ordinary lights won 't fit

600 mm long

5mm diameter shaft

I Flexible brass alloy shaft holds the desired position

Protective cover can also be used as an extension

Industrial grade On/Off switch

Improved anodized aluminum housing is corrosion resistant

3 X AA batteries included

■ STE96402 : replacement bulb with a 50,000h life











HU21043

ADJUSTABLE SLIM LIGHT

I Slim body design ideal for vehicle inspection under limited

Soft touch and ergonomic handle with comfort grip

■ Made of nylon and fiber, acrylic lens

Length: 375mm / thickness: 9mm

■ Two fixations : Swivel hanging hook & Ball joint design swivel base with powerful magnet

Charging indicator

Innovation: dimmer

■ For progressive lighting (no blinding)

■ To adapt light intensity to the environment (reflection...)

Technical data:

Built in 2200mah li-ion battery (3.7V 2200mAh)

LED COB (Chips On Board) superbright

■ Micro USB (USB power cable included)

Chargeable (European plug charger included - input : 100-240V 0.3A; output : 5V; 1000mA)

Performances:

Micro adjustment lumen switch: Luminous Flux: 460 Lm!

■ Battery: 4 h charging time = 2.5 h full light on working hours or 12 h semi light on working hours

■ Operating temperature: 0°C -> 60°C











STE78684

BLUETOOTH CHASSIS EAR











In the Steelman®PRO Bluetooth® CHASSISEAR® - NVH is a noise, vibration, and harshness detection tool that uses Bluetooth® wireless technology along with a Windows® or Android™ device to help identify and diagnose unidentified noises. The intuitively designed software provides easy pinpointing of noises from multiple locations. Sound files can be saved and e-mailed to be reviewed by the customer or for further analysis by other technicians.


Record function allows for capture of sound data


■ Multi-Band Equalizer to isolate sound


■ Email capability

■ Four graph types for visual diagnostics

■ Docking Station charges Bluetooth® Modules













AB71196

QUICKFLOW PUMP KIT

- The 71196 Quickflow pump is a high efficiency gear type
- It is fitted with a folding engagement bracket to allow the pump to be driven by a 3/8" air ratchet
- I Made of heavy duty internal components to make it suitable for running at high speeds
- Using the included universal adaptor allows the pump to be driven by most all cordless drills to provide high flow rates
- Suitable for use with most fluids (not gasoline) used in automotive, marine, industrial and domestic applications




AUTOMOTIVE

INDUSTRIAL

MARINE



















AB71201


CVT - DSG - G TRONIC - ATF


NEW

QUICKFLOW TRANSMISSION REFILL ADAPTOR KIT

Adaptors used with 71196 QuickFlow Drill Pump to efficiently refill sealed Automatic Transmissions. Included Pressure Hose with quick couple fittings for quick adaptor interchange

Adaptors manufacture from high strength fibre reinforced polymer with extreme chemical resistance













The LugdrillerTM is the Ultimate tool to remove the most difficult locking lug nuts in the quickest and safest way. Over the years the locking lug nuts have been dramatically improved.

Their design is more and more complex and the material itself harder and harder.

Problems with damaged lug nuts or lost keys are well-known in the tire repair shops business.

■ Removes the most difficult locking lug nuts

I Professional kit: made of solid material that can work on the hardest lugs

I Very easy and quick to use: +/- 8 minutes per wheel only!

UNIVERSAL:

HUNDREDS OF LOCKING LUG NUTS ON THE MARKET! LOST KEY? DAMAGED KEY? DAMAGED LUG?

ONLY ONE SOLUTION: Lug@riller













NEW

You Tube

You Tube™

 $4 = M10 \times 125$ $3 = M10 \times 100$

 $2 = M9 \times 100$ $1 = M8 \times 100$

UNIVERSAL INJECTOR EXTRACTOR

Single universal kit that enables all types of moderately frozen or caked injectors to be removed without removing the electrical part, even on the latest vehicles.

I For Denso, Siemens Bosch and Delphi common rail or piezo injectors from 1999 to 2017

Avoids having to remove the electrical part of the injector and thus avoid significant additional costs due to an extremely strong threaded shaft of the same size as the diesel oil inlet coupling to which the extractor is attached

The kit also includes two couplings (M12 and M14) in the event that the original coupling cannot be removed

Two ways of extracting the injector:


by rotating (handle)

•by rotating AND axial extraction (mass to inertia) in the most difficult cases

FOR DENSO, BOSCH, DELPHI, SIEMENS

COMMON RAIL & PIEZO INJECTORS

COMPATIBLE CARS 1999 -> 2017...







HU41050

BROKEN GLOW PLUG TIPS KIT M8, M9 & M10

Enables broken glow plug tips stuck in the cylinder head to be easily removed

■ The kit comprises 4 easily identifiable guides

The tap, drill bit and extractor holders are fitted to the body of the original plug and slide in instead for perfect centering.

■ Self-centering industrial taps

The size of the drill bits and the shoulder of their holder prevents any risk of drilling or tapping too far into the cylinder head without prior measurement

In the event of the tips being flared in the cylinder head, the kit has an ejector that enables the tip to be pushed back into the cylinder before retrieving it with the appropriate magnet included in the kit.

REMOVES BROKEN TIPS



SELF-CENTERING TAP





NO HANDLING IN HARD TO REACH PLACES





AB70985



UNIVERSAL SWIVEL AIR COUPLER

- Heavy duty design : manufactured from heat treated chrome vanadium steel
- Slim design guarantees ease of use
- Ideal for intensive use





HU41039

ALL YOU NEED BEFORE CHANGING INJECTOR

Kit includes:

- 2 metal brushes Ø 20mm and 25mm for injector hole
- 2 front brushes for injector seat cleaning
- 1 front brush extension
- 2 seal plugs to close the injector hole while cleaning
- 1 seal plug holder to place and remove the plug
- a sanding kit (paper and paper support)
- This set will allow the technician to make a perfect job before placing the new injector!
- Cleaning the injectors holes after the extraction is extremely important.







You Tube™











ADBLUE® FILLING STATION WITH DIGITAL METER

- This new station, easily transportable thanks to the 2 large wheels, allows the filling of the AdBlue® safely in any vehicle's tanks.
- The reservoir has a capacity of 45 liters.
- The station is fully pneumatic. The filling of the station is done thanks to the venturi and the filling of the vehicle's tank is done on pressure. No need of 230V power.
- The innovative system avoids the risk of contamination, waste, evaporation, and leaks of AdBlue®.
- Closed system: The AdBlue® liquid will never be in contact with any exterior agents

FEATURES

- Air power 4 / 9 Bar
- Filling flow of the vehicle reservoir 18I/min
- Filling of the tank of the station 6l/min
- 45l Stainless steel reservoir with level indicator
- Suction tube
- Security valve
- Autonomy: Station can be disconnected and still be used to fill the vehicles. (Pressure manometer on the station)
- No spill of AdBlue® after filling thanks to the nozzle valve: avoid to damage paint and inside carpets.
- Integrated flow meter to estimate the AdBlue® liters added



FOR QUICK ADBLUE FILLING

PNEUMATIC STATION

45L RESERVOIR





MI8550

MITYVAC METAL HAND PUMP KIT


MI8510 metal hand pump; the only hand pump that can produce and measure vacuum OR pressure with equal performance and precision (-980 mBar to 4 Bar)

Large reservoir design (480 ml) with quick connector


Other accessories

Common Applications: Emission control systems (EGR, RCV, BPV) testing, Turbocharger wastegate testing, Vacuum and pressure brake and hydraulic clutch bleeding, Ignition system diagnostics, Fluid transfer/evacuation













PATENTED NEW

EU TRAILER TERMINAL CLEANERS & PIN WEAR GAUGE



3 pieces set of single pole cleaners designed for the precise removal of corrosion and debris

Cleans and resizes male and female 7 poles and 13 poles European trailer terminal connections

• Quickly and precisely removes debris and corrosion.

• Works on trailer light assemblies

Extends harness life

Maintains continuity to prevent circuit failure

Premium quality holster with magnetic clasp

Patented





HU45100

GREASE JOINT REJUVENATOR



FORCES LIGHT OIL THROUGH THE CLOGGED GREASE JOINT

I Forces light oil through the clogged grease joint to loosen old hardened grease or dirt, clearing a passage for new grease joint

Opens clogged grease fittings and joints, saves king pins!

Works on all farming, excavating, construction and industrial equipment, automotive, aircraft, trucks, trailers and more

Cleans ways and stays in milling machines and

■ Maintains open joint during storage


Supplied with flexible adapter for hard to reach grease joints





HU45097

MAGNETIC FINGER



- Fasten bolts in difficult places
- Safely hold a nail in place
- Position a screw in a tight spot
- Retrieve hard to hold items
- As it is attached to one's body, it will go places that conventional stick magnets will not









HU14011 - HU14012 - HU14013 - HU14014

AIR COMBS



90° multi-port air flow

■ Focused high-pressure air output

5x the volume

Accesses hard-to-reach areas

Extends filter life

Use on radiators and condensers

Industries: agriculture, construction, automotive/truck, industrial, stationary and others

■ MADE OF DURABLE ANODIZED ALUMINIUM







Item nr	Length	Color
HU14011	30cm	blue
HU14012	60cm	red
HU14013	90cm	yellow
HU14014	120cm	green







LJ10100 - LJ09300 - LJ06100 - LJ06201 - LJ06207 - LJ10201 - LJ18201 - LJ06200 - LJ06206 - LJ10200 - LJ18200 - LJ09500

AUTOMATIC PLIERS







NEW

A true revolution in tool design

I Jaws AUTOMATICALLY adjust to any size; easy one-handed use

■ Set & forget clamp pressure : dial in clamp pressure from Light to Extreme and forget about it (until you need a different clamping pressure)

■ Easy release lever twice as quick than traditional locking pliers



- 2 LJ09300 / 7"(178mm)
- 3 LJ06100 / 6" (152mm)
- 4 LJ06201 / 7"(178mm)
- 5 LJ06207 / 10"(254mm)
- 6 LJ10201 / 11"(179mm)
- 7 LJ18201 / 19"(483mm)
- 8 LJ06200 / 7"(178mm)
- 5 LJ06206 / 10"(254mm)
- 1 O LJ10200 / 11"(179mm) 1 1 LJ18200 / 19"(483mm)
- 12 LJ09500 / 9" Forked Jaco welding (229mm)














HU45106 - HU45107 - HU45108

Unique pivot-action design requires 40 percentage less effort to cut

Induction hardened cutting edge for long life

HIGH LEVERAGE PLIERS

■ Machined, cross-checked jaw pattern for gripping and twisting in any

■ Forged steel body for superior strength and Durability


■ Easy clean grips provide added comfort and Durability

■ Meets or exceeds applicable ASME performance requirements

Designed with standard bevel edges for general wire cutting

- 1 HU45106 / 9" universal (229mm)
- 2 HU45107 / 8" long nose (203mm)
- 3 HU45108 / 8" diagonal (203mm)







BACK OF THE HAND PROTECTION

IMPACT LITE GLOVE









HU45110

DEXTERITY

DOTTED GRIP GLOVE












■ Work rubbing you the wrong way? Try the DOTTED GRIP for the abrasion resistance you need to push through. The 15g breathable shell allows ample movement while the NFT dots provide additional abrasion resistance. Extreme dexterity meets ultimate functionality with the DOTTED GRIP.

FEATURES





HU45112

FLUID RESISTANT





GRIP + TOUCH SCREEN NEW

SHIELD GRIP GLOVE



your arsenal.





latex protects from liquids making this glove the perfect one-two punch for







Dirty job? Call for a little backup. The SHIELD GRIP keeps you protected with a double layer latex dip that ensures liquids

are kept away from your skin. The primary layer of textured latex ensures grip integrity and a secondary layer of smooth
























FEATURES ■ Double Layer Latex for Extreme Protection I Fully Covered to Resist Liquids ■ Textured Palm to Ensure Grip Integrity Driver Style Cuff to Allow Breathability ■ High-Quality Natural Latex to Keep Durability Size: large



You Tube



HU34021

LITHIUM BOOSTER AND POWERBANK - 600A

Uses 18000mAh high capacity, high power, battery, that is fast charging and has low self-discharge, cycles can reach 1000 times

Features include 12V emergency start, LED flashlight and 2 USB ports for device use and charging and 19V Laptop output

■Three (3) lighting modes: Standard, Strobe, SOS

■ Multiple built in safety features

Includes patented technology

Dimensions: 230mm L x 85mm H x 28mm W



Weight: 700g
Start current: 300A
Peak current: 600A
Capacity: 66.6Wh









KIT INCLUDES

HU34012

START & STOP BATTERY & ELECTRICAL SYSTEM ANALYZER WITH PRINTER

Specially designed for Start & Stop systems Exclusive design by Hubitools

l Tests 6V-12V batteries and 12V-24V volt charging & starting systems

Integrated printer

Digital screen

■ Operating range: 40 ~ 2000 CCA

Tests EFB, VRLA / GEL , AGM Flat Plate, AGM Spiral and Regular Liquid batteries in 2 seconds

Rating system: SAE (CCA)/ DIN / EN / IEC and JIS

6 languages available



AGM & EFB









DIAGNOSTIC TEST LEAD SET



ULTRA THIN LEAD FOR MULTIPINS CONNECTOR







Complete lead kit for Automotive diagnostic

■ All leads are arranged properly in pairs "Male & Female" and by terminal sizes

You Tube

- Includes ATC adapter
- Includes Piercing Extra Sharp Probes.
- I New variable resistor of with $10K\Omega$ (instead of $5K\Omega$) dial indicator
- Airbags simulator
- Replaceable resistors! 3 of 2 ohms 2,2 ohms – 2,7ohms
- LED Stroboscope
- Also includes general purpose components as Alligator clips, banana plug to be used with multimeters, 3 ways extension plugs or detachable test probes
- Ultra thin lead for multipins connector



HU45102



FEMALE BULLET CONNECTOR CLEANER SET 12 PCS



- Cleans round female pin type electrical connectors p.ex. Cannon, Deutsch and Bullet connectors
- Removes corrosion on round contact points and reduce diagnostic guesswork
- Features durable diamond abrasive coating
- Common applications include: cars, trucks, forklifts; agricultural, communications, HVAC, marine, aircraft and industrial equipment; PCs, hobby, modules, military vehicles and many more



HU31021

NEEDLE TEST PROBE SET















- This high quality Test probe Set has been designed with the automotive engineer in
- Each kit comprises of:
- A pair of double insulated silicone test leads, that can withstand high temperature, one end terminating in a straight fixed shrouded plug, the other in a right angled plug, both compatible with all standard 4mm instrument sockets.
- A pair of cable piercers for intrusive measurement taking, ideal when back probing is not an option.
- A pair of slim back probing probes, these incorporate a 'spring steel' prod which allows greater flexibility and less damage when attempting to override the rubber seal on some connectors.



HU45101



DIAMOND GRIP TERMINAL CLEANERS



- For flat and spade style terminals
- Works on both male and female connectors
- Pivot hinge for improved reach in hard to access
- Precisely removes corrosion from terminals without damaging the pins Reduces diagnostic guesswork by eliminating
- bad connections 3-pieces set for most common connectors in
- Includes a holster for small, medium and large





CLEANS FLAT ELECTRICAL CONNECTORS







THE ULTIMATE AUTOMOTIVE TESTER

SCOPE+

NEW

You Tube™

SCOPE+

EASY TO USE - AUTORANGE

I Solely designed for automotive electrical circuit's trouble shooting!

• Easy and simple to use; no extensive electrical knowledge needed.


Fully protected. Will not cause damage even accidentally using OHM measurement to measure Volts.


Measures:

- Amps draw (Mini, ATC or Maxi) without removing the fuses from the Fuse Box
- Voltage (max. 50VDC)
- Cranking Volts with auto HOLD function
- Resistance [Ohms] (from 0.0 Ω up to 1.0 M Ω)
- Frequency with peak to peak volts (up to 20 KHz)
- and Duty Cycle (%)

In addition, it performs:

- Continuity test
- Diode/ LED test



















VOLTAGE AND CRANKING VOLT WITH COLOR CODED SCREEN