

Hubitools

INNOVATIVE TOOL EXPERTS





With over 40 years experience in the distribution of innovative tools, Hubitools is your key partner in the automotive and industrial repair sector.

Since 2016, we've been developing our own Hubitools Design range, featuring unique, patented tools designed to help professionals solve common problems in modern vehicles.

In addition to our patented products, we have long been the exclusive European distributor for international manufacturers of quality tools.

We offer our partners a complete service from A to Z: multilingual marketing packages, technical training in our video studio, after-sales service and private-label customization.



NEW PRODUCT HIGHLIGHTS

**ELECTRONIC
BRAKE PRO
BLEEDER**



P.5

**UNIVERSAL PRESSURE TESTER 2.0
WITH WIRELESS MODULE**




P.6

VIDEOSCOPIES 3,9MM



P.11

HYBRID & EV TEST LEAD KIT



P.16

ARTICULATED MCPHERSON LIFTING TOOL (500 KG)



P.23

DRIVE SHAFT DISASSEMBLY LEVER



P.24

MAGNETIC ADJUSTABLE TOOL HOLDER



P.25

**2-IN-1 HOT AIR & HOT IRON
PLASTIC REPAIR STATION**



P.28

**TURBO JET
AIR BLOWERS**



P.31

SMART & MOBILE OIL BAR DISPENSER



P.32

AUTOMATIC BRAKE BLEEDER 12V

HU11006N

- Compatible with ABS/ESP systems
- 12v powering with reverse polarity warning
- Stainless steel body
- Electrical pump (0 to 3,5 Bar) with automatic power off valve
- Regulator from 0 to 3,5 Bar
- 5L reservoir with visible (min) level indication
- Auto power-OFF when min level is reached
- Large reservoir opening for easy cleaning
- 12V power cable with jack (L: 4m)
- For brake fluid with quick coupling system
- Delivered with fluid refill reservoir with chain and universal screw-on adaptor (compatible with 85% of vehicle fleet)
- Optional: 110-230V AC to 12V DC power supply (HU11033).



MASTER CYLINDER ADAPTER SET

HU11004


- 10 dedicated caps
- 1 universal cap
- 1 90° adapter
- 1 syringe



NEW **BRAKE BLEEDING RATCHETING WRENCH**

HU11009


- Enables a clean brake bleeding job without removing the wheels of the vehicle
- Patented brake bleeding 2-way ratcheting wrench with special short and long sockets – size metric 7, 8, 9, 10, 11, 12.
- Includes a high-quality silicon hose.



NEW **UNIVERSAL BRAKE BLEEDER CAP ADAPTER**

HU11007

- The universal solution to connect to the master cylinder reservoir for pressure bleeding with (for example) our HU11030 or HU11006
- Compact design with 90° quick coupler, will fit even when the reservoir is hard to reach
- Clamps on the threaded or 1/4 thread part of the reservoir (no chain under the reservoir)
- Adjustable height and width
- 4 interchangeable rubber cones to fit all sizes of reservoirs



NEW

ELECTRONIC BRAKE PRO BLEEDER

HU11030

HU11035

VERSATILE. RELIABLE. EASY TO USE. THE BRAKE BLEEDER FOR EVERY WORKSHOP!

- Digital pulse pressure adjustment from 0.5 to 4.5 bar (7.25 to 65 psi)
- Automatic levelling of the master cylinder reservoir at the end of bleeding
- LCD colour display with 6 selectable languages (EN, FR, DE, IT, NL, ES)
- Automatic shut-off if :
 - wrong pressure is detected
 - There is a leak in the braking system
 - The new DOT drum or can is empty
- Flush mode allowing the use of another fluid (DOT)
- Heavy duty design for intensive use
- Powered by the vehicle's 12V battery
- Optional: power supply via auxiliary 12V battery or 110-230V AC to 12V DC transformer (HU11038).
- Cable and hose length: 5 m
- Supplied with European master cylinder cap, waste fluid collection bottle and rubber cone for drum and canister

PATENTED

MADE IN BELGIUM



**CLICK OR SCAN
TO DISCOVER
IT ON YOUTUBE**



OPTIONAL: 230V TO 12V DC POWER SUPPLY (HU11038)



20L


NEW: Power supply via 12V power tool

Battery holder: HU11030-9



(Battery not included)

60L



HU11030

HU11035

2 CONFIGURATIONS:

- HU11030: Portable version up to 20 L
- HU11035: On trolley version up to 60 L

Also available :

- HU11036: Trolley only (to upgrade the portable version to on trolley version)

NEW UNIVERSAL PRESSURE TESTER 2.0

PATENTED

- Replaces all old analog testers with a single high-precision digital device.
- Thanks to its touchscreen tablet and Bluetooth module, it ensures reliable and fast measurements — both pneumatic and hydraulic.
- Allows comparison between the physical values measured in the circuit and those read by diagnostic tools.

Tablet

- Wi-Fi connection for automatic test result uploads (traceability and warranty proof) and automatic software updates
- Bluetooth connection with the wireless module
- Wired connection: pressure sensors can also be connected directly to the tablet
- Touchscreen with intuitive, icon-based interface
- USB-C port for fast charging
- Dual reading: possibility to connect two pressure sensors simultaneously
- Light and dark display modes for optimal comfort

Bluetooth Module

- Compact and perfect for road tests
- Mounts under the hood and communicates directly with the tablet in the vehicle via Bluetooth
- Up to two pressure sensors connected simultaneously
- Built-in lithium-ion battery with real-time charge status displayed on the tablet

All your test results accessible online from any device!
Guaranteed traceability



CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

BLUETOOTH MODULE FOR PRESSURE TESTER 2.0
(INCLUDED IN KIT HU35060)

HU35055-2



UNIVERSAL PRESSURE TESTER 2.0

HU35050

• Wired connection



UNIVERSAL PRESSURE TESTER 2.0 WITH WIRELESS MODULE

HU35060

Bluetooth or wired connection



Both kits include:

- 7" touchscreen tablet with lithium-ion battery
- -1 to 3 bar probe
- 0 to 300 bar probe
- Universal compression adapter for petrol engines
- Universal compression adapter for diesel engines
- 9x "T" adapters with SAE connectors (e.g. fuel pressure)

NEW 0-20 BAR SENSOR

HU35050-3

- Ideal for compression measurements on petrol engines (e.g. PureTech, Ecoboost, TFSI, etc.)



Example of a fuel pressure test



Example of a compression test





CYLINDER LEAKAGE TESTER

HU35027

- Can be used with the HU35025 PressureDiag OR with the included analogic gauge
- Gasoline adapters included : M10, M12 et M14
- Can be used with the diesel adapters from the PressureDiag range



ENGINE AND TURBO OIL PRESSURE ADAPTERS (15 PCS)

HU35033

- 10 Common size adapters
- 4 Turbo Banjo adapters
- 1 Short 90° adapter



GASOLINE HIGH PRESSURE ADAPTER SET (5 PCS)

HU35029

For GDI high fuel pressure engines



UNIVERSAL TURBO PRESSURE ADAPTER SET

HU35042

Can be connected in place of the MAP sensor to any turbo boost pressure gauge or to the pressure tester (HU35050–HU35060)

PATENTED



UNIVERSAL T ADAPTERS

HU35041

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE



AIR CONDITIONING ADAPTER SET

HU35038

- 2 High pressure connectors
- 2 Low pressure connectors



FUEL LINE SWIVELING QUICK DISCONNECT TOOL

HU35019





COMMON RAIL INJECTOR CAP SET M12 & M14

HU35030



COMMON RAIL DUMMY REGULATOR SET

HU35031



DIESEL HIGH PRESSURE SET

HU35026

Measure the common rail pressure (M12x150)




90° COMMON RAIL ADAPTER SET (6 PCS)

HU35028



BMW DIESEL ADAPTER SET M15 X100

HU35032



UNIVERSAL DIESEL GLOW PLUG COMPRESSION ADAPTER

HU35039

M8x1, M9x1, M10x1 & M10x1.25

PATENTED



UNIVERSAL DIESEL COMPRESSION ADAPTER

HU35037

Can be used with any analogic compression tester

NEW

RECHARGEABLE DIGITAL WIRELESS STETHOSCOPE

STE97605

- **NOISE DETECTION** - Detect the source or squeaks, rattles, and other errant or troublesome noises throughout a car or truck's chassis
- **LCD TOUCHSCREEN** - 4.3-inch color LCD touch sensitive screen with easy to use interface.
- **RECHARGEABLE** - Control unit and transmitters feature internal rechargeable batteries



WIRELESS ELECTRONIC STETHOSCOPE

STE97216

- **NOISE DETECTION** - Detect the source or squeaks, rattles, and other errant or troublesome noises throughout a car or truck's chassis



CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

RECORDING CABLE

HU97001

- **RECORD** your test on any IOS or Android device and **SHARE** them **EASILY**.
- Compatible with STE97605 and STE97216



ULTRASONIC STETHOSCOPE

HU33003

- High-sensitivity leak detector
- Ideal for inspection and checking of :**
 - Vacuum and air leaks
 - Air conditioning leaks
 - Electrical systems (insulation faults, sparks, relays...)
 - LPG systems
 - Tire leaks
 - Passenger compartment sealing




NEW

ARTICULATED VIDEOSCOPE 2 WAYS - Ø 3.9 MM


HU23157

The high-end automotive diagnostic videoscope

- 3.9mm diameter camera
- 2-way articulated 1-meter probe (1280 x 720 px)
- 6 integrated LEDs - 3 adjustable levels of brightness
- 4.5" IPS HD display - 480 x 854 px
- Rechargeable 3.7V-5.000mAh Li-ion Battery
- Focal distance: 20-50mm
- Camera view angle: 80°
- Temperature displayed on screen
- Image rotation function
- Photo & video storage function
- IP67 rated camera
- Included accessories: 5V-2A charging plug, USB to USB-C cable & 32GB memory card



1 m cable



NEW

VIDEOSCOPE DUAL LENS Ø 3.9 MM

HU23153

Compact, precise, and durable

- Dual HD camera for front and side views
- Waterproof probe for gasoline, diesel, or oil inspections
- 5" HD IPS color display with tempered glass for optimal visibility
- Adjustable LED lighting on each lens for even visibility in hard-to-reach areas
- Rechargeable lithium battery via USB-C for extended on-site operation






1 m cable

LEAK DETECTION SMOKE MACHINE

HU12020

Detect leaks quickly and efficiently

- Precise inspection of closed circuits: cooling systems, fuel (EVAP), exhausts, turbos, and sealed compartments (e.g., engine blocks)
- Complete kit included: oil bottle for smoke generation, accessories, and universal inflatable adapter
- Built-in air compressor: 1.3 bar for autonomous and efficient operation (integrated pump)



MITYVAC METAL VACUUM & PRESSURE PUMP

MI8550

The original and essential manual pump!

- Versatile: accurately generates and measures both vacuum and pressure
- More powerful than all its competitors in both pressure and vacuum
- Maximum performance: from -900 mbar to 4 bar
- Easy to use: ergonomic handle for easy and safe handling
- Durability: robust metal construction for long service life



NEW

METAL TRAP KIT



HU35043

Metal Particle Detection Tool for Diesel Circuits

This tool is used in workshops to detect the presence of metal particles in the diesel fuel supply circuit, particularly at the outlet of the high-pressure pump. These particles are usually an early sign of high-pressure pump deterioration, a problem often identified too late, after several injector replacements.

Applications :

- When an injector shows signs of malfunction (clogged or defective).
- To check for the presence of metal debris in the low-pressure circuit and thus prevent repeated injector replacements.




SENSOR SIMULATOR

HU31035

- The ideal tool to simulate sensors and activate actuators: frequency, voltage and test sequences.
- It will assist in diagnostics when analysis with the OBD2 diagnostic tool reaches its limits.
- Sensors, injectors, and actuators notify the OBD2 tool that there is a problem, but the sensor simulator allows the technician to determine whether the malfunction is due to a faulty sensor, an issue in the vehicle's ECU, or a wiring fault



RESISTANCE • VOLTAGE • WAVE SINUS • SQUARE SINUS • TEMP COEFFICIENT SENSOR
 • THROTTLE & PEDAL SENSOR • OXYGEN LAMBDA SENSOR TEST (O2) • EXHAUST
 GAS PRESSURE SENSOR (EGR) • COMMON RAIL PRESSURE SENSOR • CAMSHAFT
 POSITION SENSOR (CMP) • CRANCKSHAFT POSITION SENSOR (CKP) • KNOCK
 SENSOR • MAP SENSOR • ABS SENSOR • MAF SENSOR • HVAC PRESSURE SENSOR



NEW


AIRBAG SIMULATOR RESISTOR RESET KIT

HU31026



1.8 Ohm 2.2 Ohm 2.5 Ohm 2.7 Ohm 3.3 Ohm

- Essential for precise SRS system diagnostics, this kit allows simulating an airbag's resistance to determine whether the fault actually comes from the airbag or another component (wiring, electronic control unit, etc.).
- Before any costly replacement, it helps accurately pinpoint the source of the problem.
- After an accident, these simulators also allow checking the integrity of the wiring without risking damage to a new airbag.
- A simple and effective tool to avoid unnecessary repairs and quickly identify the faulty component.



NEW

AUTOMATIC RETRACTION CABLE

HU31029

- No more tangles with the banana cables!
- Save time and create a cleaner work environment with the 1-meter automatic retraction system.
- Each end has male and female connection to allow for multiple connections



DIAGNOSTIC TEST LEAD SET (124 PCS)

HU31022

- Complete lead kit for automotive diagnostics.
- Y-connectors for in-series test
- Ultra-thin tips, ideal for multi-pin connectors
- Includes a comprehensive set of connection leads for sensors, valves, connectors, injectors,...
- All leads are arranged properly in pairs "Male & Female" and by terminal sizes.
- Includes ATC, Mini and Maxi fuse adapters and ATC Current loop to be used with an Amp Clamp.




6 PCS NEEDLE TEST PROBE SET

HU31021

High quality double insulated silicone test leads

Set includes:

- 2 x Cable piercing
- 2 x 90° needles
- 2 x 90° banana cables






NEW

15PCS Y-LEAD SET

HU31028

The Y-leads enable maintaining a closed electrical circuit while reading the live signal



PATENTED

NEW


HYBRID & EV TEST LEAD KIT

HU31045


Connection cable kit specially designed for electric and hybrid vehicles.

This kit stands out for its ability to adapt to the standardized copper contacts inside various connectors — regardless of their different external shapes.

Greatly facilitates measurements even when wearing gloves, thanks to its specially designed connectors!



COMING SOON
APRIL 2026




This kit is used to check:

- The absence of voltage in locked-out vehicles
- The continuity of connectors, cables, or harnesses
- The insulation of the vehicle's various components

Compatible with:

- Voltage Absence Tester (VAT)
- Multimeter
- Megohmmeter (Insulation Tester)


INTERLOCK



Standards and safety:

Safety: CAT III 1000 V / CAT IV 600V (IP2X retractable caps)



- Standards: CE, UKCA
- Load limit: 12 A
- NF EN IEC 62196-2
- Connection: 4 mm banana plug



PATENTED

UNIVERSAL DIESEL GLOW PLUG PULLER
M8, M10 X 1.00, M10 X 1.25

HU41051





SPECIAL CENTERED MILLS

Self-centering industrial cutters




GLOW PLUG THREAD REPAIR SET
M8, M9, M10 X 1.00, M10 X 1.25

HU41058





Inserts available separately



PATENTED
UNIVERSAL GLOW PLUG TIPS PULLER M8, M9 & M10
HU41050

- Easy to use in hard-to-reach places
- Enables broken glow plug tips stuck in the cylinder head to be easily removed
- The kit Includes 4 different guides
- The tap, drill bit and extractor holders reproduce the shape of original glow plug for perfect centering and avoid any damage in the cylinder head
- Self-centering industrial taps
- The size of the drill bits and the shape of the holder prevents any risk of drilling or tapping too far into the cylinder head
- In the event of the tips being flared in the cylinder head, the kit has an ejector that enables the tip to be pushed back into the cylinder before retrieving it with the appropriate magnet included in the kit
- Easy 4-step operation


**1 = M8 x 1.00
2 = M9 x 1.00**
**3 = M10 x 1.00
4 = M10 x 1.25**

REMOVES BROKEN TIPS


PATENTED

UNIVERSAL INJECTOR PULLER

HU41055

- Eliminates the need to remove the electrical part of the injector
- Two ways of extracting the injector:
 - by rotating (handle)
 - by rotating AND slide hammering

DENSO, BOSCH, DELPHI, SIEMENS

INYECTORES COMMON RAIL & PIEZO

COMPATIBLE CARS 1999 > TODAY



OPTIONAL SPECIAL ADAPTER FOR FORD ENGINES

HU41055-6



NEW

LOW PROFILE PNEUMATIC DIESEL INJECTOR PULLER WITH HANDLE

HU41056

A powerful, fast, and compact tool for extracting even the most stubborn injectors, even in the tightest engine compartments.

Key features :

- Dual function: combines the power of a hammer with the speed of a pneumatic tool for maximum efficiency
- Compact design: on average 47 mm shorter than competing products, easily fits even in restricted access behind the firewall.
- Includes handle: makes positioning and removing the tool easier.
- Can be used without handle in very tight areas.


Adjustable impact mode :

- Hammer mode: Long stroke for maximum force.
- Fast vibration mode: Shorter stroke for vibration effect.

Included in the kit :

- Threaded adapters M14, M17, M20, M25, and M27
- Compatible with most diesel injectors: Denso, Siemens, Delphi, Bosch (internal thread).

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE






PATENTED

DIESEL INJECTOR SEAL EXTRACTOR

HU41010


- Supplied with 2 pullers: for passenger cars and commercial vehicles



UNIVERSAL INJECTOR SEAT CLEANING SET

HU41039

- This kit allows for a clean and gentle cleaning before installing the new injector.



PATENTED

Lugdriller
HUBITOOLS DESIGN

LOCKING LUG NUT REMOVAL SET

HU42025

The universal solution when the original key is lost or when the locking wheel nut is damaged by an impact wrench.

The Lugdriller® is the universal tool to remove the most difficult locking lug nuts in the quickest and safest way.



- Compatible with all types of anti-theft wheel nuts, regardless of brand or shape.
- Also effective on damaged lug nuts.

Set includes :

- 4 internal nylon centering sleeves
- 3 external metal centering caps
- 1 metal centering sleeve for Volvo
- 2 special ultra-hard drills
- 4 impact extractors
- 1 holder for impact extractor
- 1 removal tool for impact extractor



CLICK OR SCAN TO DISCOVER IT ON YOUTUBE



EXAMPLE:
With the new Stellantis locking wheel nut



NEW

FULL CARBIDE TURBODRILL

HU42026

Enables quicker drilling with the HU42025 Lugdriller



PATENTED

ARTICULATED MCPHERSON LIFTING TOOL (500 KG)

HU43025

- Ideal for the following operations:
 - Removal and installation of struts / McPherson
 - Removal and installation of drive shaft (CV joints)
 - Removal and installation of suspension arms and ball joints
- No risk of damage to parts such as sensors, wiring harness, plastic protection, body panels
- To be mounted on 25-30mm hydraulic transmission jacks
- Soft clamping jaws to avoid damage to the strut.
- 3 sizes of jaws:
 - light vehicle
 - light commercial vehicle (optional)
 - rear shock absorbers (optional)
- Horizontal adjustment and full articulation
- 100% safe operation (operator has both hands free to work safely)
- Compatible with EV & Hybrid cars

Max. 100kg	500kg
Not articulated	Articulated
Not adjustable	Adjustable
Unsafe	Safe
BENDING OF THE TRANSMISSION JACK	
OTHERS	HUBITOOLS DESIGN



CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

ALSO WORKS ON EV & HYBRID CARS
TO BE MOUNTED ON ANY TRANSMISSION JACK (25-30MM)

NEW


HUB SPREADER

HU43026

Designed to open and hold the wheel hub, facilitating the easy removal and refitting of the suspension strut.

ULTRA-ROBUST

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE




NEW

DRIVE SHAFT DISASSEMBLY LEVER

HU43027

- Its U-shaped design ensures equal force distribution on both sides of the drive shaft.
- The precisely machined beveled head makes it easy to insert the tool between the drive shaft and the gearbox, providing optimal leverage for removal.
- Facilitates the removal of drive shafts equipped with retaining clips (circlips).
- Thanks to its clever design, with a beveled head and support around the entire circumference of the drive shaft, this tool allows efficient removal without putting pressure on the gearbox, preventing any risk of damage.




CLICK OR SCAN TO DISCOVER IT ON INSTAGRAM



IDEAL FOR DRIVESHAFTS WITH RETAINING CLIPS / CIRCLIPS




71CM



NEW

MAGNETIC ADJUSTABLE TOOL HOLDER


HU51030



NEW

MAGNETIC CAN CLIPS (5 PCS)

- Ideal for workshops or DIY
- Designed to conveniently store and transport cans between the toolbox and the workstation
- Equipped with strong magnets for secure attachment to metal surfaces



HU51020 Set of 5 clips (Ø 62 mm)

HU51021 Set of 5 clips (Ø 45 mm)



CLICK OR SCAN TO DISCOVER IT ON INSTAGRAM



NEW

LITHIUM PRO BOOSTER 12V – 2000A

HU34040

- 12 V
- Max current: 2000 A
- Starting current: 1000 A
- Capacity: 59.2 Wh
- Dimensions: 133 x 120 x 260 mm

Key features :

- Vertical design with integrated cables
- Storage space for clamps on the back
- Magnetic base
- Powerful LED lamp, white or red, on the front



LITHIUM BOOSTER 12V 1200A / 24V 600A

HU34035

- Peak current: 12v 1200A, 24v 600A
- Starting current: 12v 600A, 24v 300A
- Capacity 35,000mAh (102,4 Wh)
- Dimensions : 292 x 233 x 79mm

Key features :

- Compatible with 12V and 24V vehicles
- High-capacity battery for long usage cycles before recharging
- Professional design with long cables
- Powerbank
- LED light



START & STOP BATTERY TESTER WITH PRINTER

HU34012


- Quick check of battery condition (6–12V) and charging circuits (12–24V)
- For batteries from 40 to 2000 CCA
- Battery types: EFB, VRLA / GEL, Flat Plate AGM and Spiral AGM & Standard wet batteries
- 6 languages (EN, FR, ES, DE, IT, PT)



BATTERY TESTER & CHARGING SYSTEM ANALYSER WITH PRINTER

HU34039

- Large backlit display
- Standard-size printer paper
- Tests 12V batteries and 12V/24V charging systems
- Suitable for batteries from 40 to 2000 CCA
- Battery types: EFB, VRLA / GEL, AGM Flat Plate, AGM Spiral & standard wet batteries
- 3 functions: battery test, system test (alternator), and in-vehicle test (combination of battery and system test)
- 6 languages: EN, FR, ES, DE, IT, PT



BLUETOOTH BATTERY TESTER + LIVE MONITORING

HU34045

Key features :

- Free app to use on any Android or IOS device
- Battery test, battery charging system test
- Live voltage monitoring for BMS system test



BATTERY CHARGER/ MAINTAINER/ POWER SUPPLY 1.5/10AMP

HU34027

Key features :

- Compatible with all battery types, including Li-Ion
- Intelligent charging process
- Ideal for powering vehicles in showrooms (showroom mode)



NEW

2-IN-1 HOT AIR & HOT IRON PLASTIC REPAIR STATION

HU31040



**CLICK OR SCAN
TO DISCOVER
IT ON YOUTUBE**



- Ultra-competitive price and fast return on investment
- Compact and ergonomic design
- Encourages repair rather than replacement
- Consumables kit included (ABS/PC, PP/PE, PS rods and metal mesh)

Hot air welder

- Adjustment of air flow (3 L/min to 24 L/min) and temperature (100°C to 500°C)
- Designed for professional plastic rod welding
- Ultra-fast preheating
- Ensures strong welds and allows precise addition of plastic material required for repair
- Automatic hot air shut-off when the handle is placed back on its holder

Airless iron welder

- Adjustable temperature (50°C to 480°C)
- Ready to use in less than 30 seconds
- Heating tip specially designed to melt plastic, apply mesh reinforcement, repair or replace a parking sensor mount, etc.



COMPLETE SET FOR PLASTIC REPAIR

HU31031

- Cordless tool designed for efficient plastic repair.
- Battery-powered device with a 30W lithium battery, featuring a pen-style design for comfortable and precise handling.

Includes 3 specific tips:

- Universal tip for quick and effective plastic melting.
- Plastic injection tip, ideal for using the supplied plastic rods for precise repairs.
- Staple tip, allowing the use of the supplied staples to secure plastic parts during repair.



NEW

PARKING SENSOR INSTALLATION KIT

HU31034

- Ideal for professional installation of plastic brackets for parking aid sensors.

The kit includes :


- 1 powerful cordless welding device with LED light
- 3 dedicated heads with end-stop to prevent damage to the front of the bumper
- 1 beveled heads



AIR VACUUM DENT PULLER

HU44016


- Vacuum sliding hammer to pull dents without grinding or damaging the paint
- Can be used for PDR (paintless dent removal) but also prior to grinding the paint on a regular dent repair work
- Supplied with 3 different suction cups
- Operates using standard garage compressed air
- Sliding hammer's weight: 1,2kg, total weight: 4,7kg



5 PIECE TRIM CLIP LIFTER SET

HU44019

- Ideal for plastic clip removal
- Sturdy and super slim design
- Will not bend like the plastic levers do



POCKET FLOODLIGHT 700LM

HU21045

- Swiveling compact LED floodlight with rechargeable Li-Ion battery
- Strong base magnet
- Super sturdy aluminum body
- 3 levels of brightness – 100 / 350 / 700 lumens
- Run time – 10hr / 4 hr / 2hr




MAGNETIC UNDERBONNET LIGHT

HU21046

Ideal for under-the-hood work in the workshop


- Powerful, even lighting (80 to 1200 lumens)
- COB technology for optimal visibility
- Rechargeable Li-ion 18650 battery – 3.7V / 4000 mAh
- Runtime: 2 to 15 hours depending on brightness level
- Charging time: 4.5 hours



NEW TURBO JET AIR BLOWERS

HU14021 MINI BLOWER

HU14022 JUMBO BLOWER



ONE TOOL. ENDLESS USES.

AUTOMOTIVE & DETAILING

- Quick-drying after car wash
- Drying after painting or coating
- Removes polish or compound dust

CLEANING & MAINTENANCE

- Dust removal from tools, vents, and filters
- Clears garages, workshops, and floors
- Dries surfaces after cleaning

INDUSTRIAL & WORKSHOP

- Dries equipment and machinery
- Clears shavings, sawdust, and particles
- Cools tools and materials

OUTDOOR USE

- Removes snow, fallen leaves, and debris
- Ideal for patios, driveways, and garden tools
- Starts BBQs or campfires

ACCESSORIES FOR THE HU14022

HU14022-2



Boost Nozzle



Diffuser Nozzle




Extension Nozzle



Carry Case



HU14022-5




NEW

SMART & MOBILE OIL BAR DISPENSER

HU46030

 **CLICK OR SCAN
TO DISCOVER
IT ON YOUTUBE** 



**FILL THE OIL JAR
MANUALLY: ~5 MINUTES**




**AND ANOTHER 5-10 MINUTES
TO TRANSFER TO THE VEHICLE**



VS

**SELECT OIL TYPE = 10 seconds
INSERT HOSE INTO VEHICLE = 10 seconds
JUST LET THE MACHINE FILL UP THE VEHICLE BY ITSELF!**



- The Smart & Mobile Oil Bar is a robust, autonomous dispensing unit designed to simplify and optimize fluid management in modern workshops.
- It supports all types of motor and gear oils, and can hold up to 6 x 20L or 6 x 30L containers.
- With an average-sized workshop (6 technicians), the return on investment is reached within 5 to 6 months, thanks to time saved per fill-up, reduced oil waste, and billing accuracy provided by the integrated software.

Efficient. Intelligent. European-Made.

- Battery powered (via a 12V power tool battery, e.g. Milwaukee)
- Equipped with a high-performance gear pump
- Adjustable flow speed helps avoid engine spillage and keeps work area clean

Time-saving & Cost-efficient

- Frees up technician time (avg. 5 minutes saved per fill-up)
- Integrated software reduces risk of using incorrect oil
- Precision dosing = reduced waste (garages lose ~7% of oil due to spills and overfilling)

Smart Connectivity & Traceability


- Full traceability: automatic emails can be sent after each fill with detailed information (operator name, oil type, quantity)
- Connected interface with secure operator login (ID + PIN)
- Possibility of automated reordering to suppliers when oil levels are low
- Improved stock management and error-free billing

Comfort & Ergonomics

- Ergonomic trolley design for easy mobility in the workshop
- Enables technicians to work closer to vehicles
- Reduces physical strain and risk of injury



	Traditional Method (Jug)	Smart & Mobile Oil Bar Dispenser
Efficiency	Manual process, time-consuming	Autonomous system, saves ~5 minutes per fill-up
Oil Waste	Frequent overfills and spills (avg. 7% loss)	Precise dosing, minimizes waste
Risk of Error	Higher risk of using wrong oil	Software reduces risk of incorrect oil usage
Cleanliness	Risk of spills on floor or engine bay	Controlled flow, avoids drips and keeps work area clean
Traceability	None	Automatic recording: operator, oil type, volume
Billing Accuracy	Errors and omissions are common	Automated, error-free billing
Stock Management	Manual, prone to delays and stockouts	Automatic reorder notifications to supplier
Mobility	Jug must be carried manually	Mobile, ergonomic trolley
Operator	Repetitive bending and lifting, injury risk	Work closer to vehicle, reduces physical strain



2-IN-1 HOT AIR & HOT IRON PLASTIC WELDING STATION

HU31040



CLICK OR SCAN
TO DISCOVER
IT ON YOUTUBE



HOT AIR WELDER

DESIGNED TO WELD ALL VEHICLE PLASTIC PARTS:

- ▶ **BUMPERS**
- ▶ **BODY PANELS**
- ▶ **HEADLIGHT BRACKETS**
- ▶ **FRONT MASKS**



AIRLESS IRON WELDER



**RUE DE LA STATION 13,
1300 WAVRE,
BELGIQUE**

YOUR DISTRIBUTOR:



010 42 03 85



INFO@HUBITOLS.COM

FOLLOW US



hubitools.com



hubitools.sa



hubitools



hubitools