

# Hubitools

INNOVATIVE TOOL EXPERTS





With over 40 years experience in the distribution of innovative tools, Hubitools is your key partner in the automotive and industrial repair sector.

Since 2016, we've been developing our own Hubitools Design range, featuring unique, patented tools designed to help professionals solve common problems in modern vehicles.

In addition to our patented products, we have long been the exclusive European distributor for international manufacturers of quality tools.

We offer our partners a complete service from A to Z: multilingual marketing packages, technical training in our video studio, after-sales service and private-label customization.





## NEW PRODUCT HIGHLIGHTS

**ELECTRONIC BRAKE PRO BLEEDER**



**P.5**

**UNIVERSAL TURBO PRESSURE ADAPTER KIT**




**P.7**

**ARTICULATED VIDEOSCOPE 2 WAYS 3.9MM**



**P.11**

**15PCS Y-LEADS SET**



**P.12**

**LEAK DETECTION SMOKE MACHINE**



**P.14**

**LOW PROFILE PNEUMATIC DIESEL INJECTOR PULLER WITH HANDLE**



**P.18**

**DRIVE SHAFT DISASSEMBLY LEVER**



**P.21**

**2-IN-1 HOT AIR PLASTIC WELDING STATION**



**P.25**

## AUTOMATIC BRAKE BLEEDER12V

- Compatible with ABS/ESP systems
- 12v powering with reverse polarity warning
- Stainless steel body
- Electrical pump (0 to 3,5 Bar) with automatic power off valve
- Regulator from 0 to 3,5 Bar
- 5L reservoir with visible (min) level indication
- Auto power OFF when min level
- Large reservoir opening for easy cleaning
- 12V power cable with jack (L: 4m)
- For brake fluid with quick coupling system (L: 4m)
- Delivered with fluid refill reservoir with chain and universal screw-on adaptor (compatible with 85% of vehicle fleet)
- Optional: 110-230V AC to 12V DC power supply (HU11033).



**HU11006**

## MASTER CYLINDER ADAPTER SET

- 10 dedicated caps
- 1 universal cap
- 1 90° adapter
- 1 syringe



**HU11004**

## TESLA CAPS

**NEW**

Model 3 & Y



**HU11004-21**

Model S & X



**HU11004-22**

## BRAKE FLUID BOILING POINT TESTER



**HU11010**

## 800ML VACUUM BRAKE BLEEDER



**AB70852**

## ELECTRONIC BRAKE PRO BLEEDER

**NEW**

- Digital pulse pressure adjustment from 0.5 to 4.5 bar (7.25 to 65 psi)
- Automatic levelling of the master cylinder reservoir at the end of bleeding
- LCD colour display with 6 selectable languages (EN, FR, DE, IT, NL, ES)
- Automatic shut-off if :
  - wrong pressure is detected,
  - There is a leak in the braking system
  - The new DOT drum or can is empty
- Flush mode allowing the use of another fluid (DOT)
- Heavy duty design for intensive use
- Powered by the vehicle's 12V battery.
- Optional: power supply via auxiliary 12V battery or 110-230V AC to 12V DC transformer (HU11038).
- Cable and hose length: 5 m
- Supplied with European master cylinder cap, waste fluid collection bottle and rubber cone for drum and canister

### Configurations:

HU11030: Portable version up to 20 L

HU11035: On trolley version up to 60 L

Also available :

HU11036: Trolley only

(to upgrade the portable version to on trolley version)

**PATENTED**
**MADE IN BELGIUM**

**HU11030**

**HU11035**

## UNIVERSAL BRAKE BLEEDER CAP ADAPTER

**NEW**

- The universal solution to connect to the master cylinder reservoir for pressure bleeding with (for example) our HU11030 or HU11006
- Compact design with 90° quick coupler, will work even when the reservoir is hard to reach
- Clamps on the threaded or 1/4 thread part of the reservoir (no chain under the reservoir)
- Adjustable height and width
- 4 interchangeable rubber cones to fit all sizes of reservoirs


**HU11007**

**PATENTED**



**HU35025**

## PRESSUREDIAG

UNIVERSAL PRESSURE TESTER

Kit includes:

- 7" Color TFT display with resistive touch panel
- Sensor -1 to 3 bar
- Sensor 0 to 300 bar
- Universal diesel compression adaptor
- Universal petrol compression adaptor
- 9 specific professional quick coupling adaptors
- Vacuum adaptors
- Battery : LiPo 3,7 V / 2000 mAh
- PC connection via USB port
- ABS enclosure with rubber bumper (Hubitools design)

### A SINGLE KIT FOR ALL PRESSURES



Cooling system pressure



Oil pressure



Fuel low pressure



Turbo pressure



Vacuum pressure



AdBlue pressure



Compression  
PETROL & DIESEL



Particle filter pressure

**SAVE, EXPORT, PRINT  
AND SHARE YOUR RESULTS!**





## UNIVERSAL TURBO PRESSURE ADAPTER SET

**NEW**

Can be connected to any Turbo manometer  
or to the HU35025 PressureDiag

**PATENTED**



HU35042



## UNIVERSAL DIESEL GLOW PLUG COMPRESSION ADAPTER

M8x1, M9x1, M10x1 and M10x1,25

**PATENTED**



HU35039

## PETROL FLEXIBLE COMPRESSION ADAPTER M12 X 125 200MM

**NEW**

Ideal for Renault TCE engines



HU35020-10

## UNIVERSAL DIESEL COMPRESSION ADAPTER

Can be used with any analogic compression tester



HU35037

## SWIVELING QUICK FUEL LINE DISCONNECT TOOL

**NEW**



HU35019

## UNIVERSAL T ADAPTERS


**NEW**



HU35041

## DIESEL HIGH PRESSURE SET

Measure the common rail pressure (M12x150)



**HU35026**

## 90° COMMON RAIL ADAPTER SET



**HU35028**


## BMW DIESEL ADAPTER SET M15 X100

**NEW**




**HU35032**

## COMMON RAIL DUMMY REGULATOR SET



**HU35031**

## COMMON RAIL INJECTOR CAP SET M12 & M14 X150




**HU35030**



## CYLINDER LEAKAGE TESTER

- Can be used with the HU35025 PressureDiag OR with the included analogic gauge
- Gasoline adapters included : M10, M12 et M14
- Can be used with the diesel adapters from the PressureDiag range



**HU35027**

## OIL PRESSURE ADAPTER SET



10 Common size adapters  
4 Turbo Banjo adapters  
1 Short 90° adapter

**HU35033**

## GASOLINE HIGH PRESSURE ADAPTER SET (5 PCS)



For GDI high fuel pressure engines

**HU35029**

## E85 ETHANOL ACCESSORY SET

QUICKLY AND SAFELY CHECK ETHANOL %



**HU35035**

## AIR CONDITIONING ADAPTER SET

**NEW**



2 High pressure connectors  
2 Low pressure connectors

**HU35038**

## WIRELESS CHASSIS EAR (EU APPROVED VERSION)

- **NOISE DETECTION** - Detect the source or squeaks, rattles, and other errant or troublesome noises throughout a car or truck's chassis
- **LCD TOUCHSCREEN** - 4.3-inch color LCD touch sensitive screen equipped control unit with easy to use interface
- **RECHARGEABLE** - Control unit and transmitters feature internal rechargeable batteries



**NEW**

**STE97605**

## WIRELESS ELECTRONIC STETHOSCOPE

**NOISE DETECTION** - Detect the source or squeaks, rattles, and other errant or troublesome noises throughout a car or truck's chassis



**STE97216**

## RECORDING CABLE

RECORD your test on any IOS or Android device and SHARE them EASILY.  
Compatible with STE97605 and STE97216



**HU97001**

## ULTRASONIC STETHOSCOPE

- High sensitivity and quality leak detection
- Inspect and check vacuum and compressed air leaks (compressed air/gas installation ...), HVAC Leaks, electrical systems (insulation breakdown, arcing, relays,...), LPG system, tire leaks, tightness of passenger compartment.



**HU33003**




## ARTICULATED VIDEOSCOPE 2 WAYS 3.9MM

**NEW**

3,9mm thin and 2 ways, 180° articulated camera to get the best possible view in the tightest areas. Snaps pictures, records movies for traceability and customer proof or OEM warranty claims.

- 3,9mm diameter, 2 way articulated probe
- 6 LEDs – adjustable level of brightness
- 5" screen with 1280 x 720 pixel resolution
- Temperature displayed on screen



## VIDEOSCOPE DUAL LENS 3.9MM

**NEW**

- High quality compact videoscope
- Runs on rechargeable Lithium battery
- Petrol, diesel, oil & waterproof probe with dual HD camera front and side view
- With a 5-inch HD IPS color screen that features scratch-resistant tempered glass and maintains excellent visibility even in bright sunlight
- Powerful ring LED light source on both lenses



**SCRATCH-RESISTANT  
5-inch SCREEN**





**3500mAh  
LITHIUM BATTERY**



**SPEAKER & MIC  
VOCAL ANNOTATION**

## ARTICULATED WIFI VIDEOSCOPE


- Supports Android and IOS (Free App)
- Internal Li-ion Battery for up to 6 hours of operation
- 4.5mm 180° articulation
- High resolution : HD 1024x768
- Waterproof & oil proof : protected from immersion in water with a depth of up to 1 meter for up to 30 mins
- Reinforced metal sleeve camera probe






## DIAGNOSTIC TEST LEAD SET INCLUDES NEW ADDITIONAL Y-CONNECTORS!

- Y-connectors for in-series test
- Ultra-thin connector for multi-pin connectors
- Complete lead kit for automotive diagnostics.
- Includes a comprehensive set of connection leads for sensors, valves, connectors, injectors,...
- All leads are arranged properly in pairs "Male & Female" and by terminal sizes.
- Includes ATC adapter Mini and Maxi fuses and ATC Current loop to be used with an Amp Clamp.



HU31022

### ULTRA-THIN CABLE FOR MULTI-PIN CONNECTOR



## 6 PCS NEEDLE TEST PROBE SET

High quality double insulated silicone test leads  
Set includes:

- 2 x Cable piercing
- 2x 90° needles
- 2 x 90° banana cables





HU31021

## 15PCS Y-LEADS SET

**NEW**

The Y-leads enable maintaining a closed electrical circuit while reading the live signal



HU31028

## SENSOR SIMULATOR

- The ideal tool to simulate and actuate the output signal from automotive sensors: frequency, voltage and test sequences
- It will help you in your diagnostic when scan tool diagnosis ends. Sensors, injectors, actuators will inform the scan tools that there is a problem, but the sensor simulator will allow the technician to know if the faulty operation is a faulty sensor, a problem in the car computer, a defect in the wiring...
- The device is specially used for wiring tests.



RESISTANCE • VOLTAGE • WAVE SINUS • SQUARE SINUS • TEMP  
COEFFICIENT SENSOR • THROTTLE & PEDAL SENSOR • OXYGEN  
LAMBDA SENSOR TEST (O2) • EXHAUST GAS PRESSURE SENSOR (EGR)  
• COMMON RAIL PRESSURE SENSOR • CAMSHAFT POSITION SENSOR  
(CMP) • CRANKSHAFT POSITION SENSOR (CKP) • KNOCK SENSOR •  
MAP SENSOR • ABS SENSOR • MAF SENSOR • HVAC PRESSURE SENSOR




HU31035

## AIRBAG SIMULATOR RESISTOR RESET KIT

**NEW**

- Universal airbag resistor kit
- These simulators are intended for diagnostic use only
- Plugging them in place of the components listed below will make the SRS ECU (computer) believe the component is connected:
  - Steering wheel airbag
  - Passenger dash airbag
  - Curtain airbag
  - Side airbag
  - Seat belt pretensioners
  - Any other component of the SRS System with an inflator
- Using these with the proper resistance allows for testing the SRS system after a crash, making sure the system is fine BEFORE changing costly components.
- Changing the ECU without testing the system implies a risk of locking the ECU.
- In case of SRS/Airbag dash light, it enables to diagnose a faulty airbag. Simply plug the sticks in place of the airbag and check if the light switches off.
- Most competition kits only have 1 resistance of 2.5ohms. Our kit has 4 plugs with multiple interchangeable resistors to always simulate the airbags/pretensioners with the proper resistance.



HU31026

## AUTOMATIC RETRACTION CABLE

**NEW**

- No more tangles with the banana cables !
- Save time and create a cleaner work environment with the 1-meter automatic retraction system.
- Each end has male and female connection to allow for multiple connections




HU31029



## LEAK DETECTION SMOKE MACHINE

Designed for professional automotive smoke diagnostics. The Smoke Machine ensures efficient detection of leaks in various closed circuits (cooling systems, fuel systems, exhausts, turbos, etc.) and watertight compartments (like engine blocks).

- Includes a bottle of smoke producing oil, a complete set of accessories and bladder.
- Integrated air compressor : 1,3 bar



**HU12020**



## MITYVAC METAL VACUUM & PRESSURE PUMP

The ORIGINAL and BEST hand pump that can produce and measure vacuum OR pressure with equal performance and precision. Features an ergonomically designed handle.



**MI8550**



## CORDLESS SOLDERING IRON

30W Lithium battery powered device with pencil-style body and three dedicated tips:

- Large tip for standard electrical soldering work
- Thin tip for more precise/electronical soldering work
- Heat shrink sleeves heating tip



HU31030

## DIAMOND GRIP TERMINAL CLEANERS



HU45101

## SUPER HARD DIAMOND-COATED ROUND MICRO FILES



HU45102

## EU TRAILER TERMINAL CLEANERS & PIN WEAR GAUGE



HU45103

## DIAMOND COATED FLEXIBLE FLAT FILES



HU45104

## UNIVERSAL GLOW PLUG TIPS PULLER M8, M9 & M10

**PATENTED**

- Easy to use in hard-to-reach places
- Enables broken glow plug tips stuck in the cylinder head to be easily removed
- The kit Includes 4 different guides
- The tap, drill bit and extractor holders reproduce the shape of original glow plug for perfect centering and avoid any damage in the cylinder head
- Self-centering industrial taps
- The size of the drill bits and the shape of the holder prevents any risk of drilling or tapping too far into the cylinder head
- In the event of the tips being flared in the cylinder head, the kit has an ejector that enables the tip to be pushed back into the cylinder before retrieving it with the appropriate magnet included in the kit
- Easy 4-step operation



**SELF-CENTERING TAP**




**STOP BLOCK**  
-> NO MEASURING NEEDED



**HU41050**

1 = M8 x 100	3 = M10 x 100
2 = M9 x 100	4 = M10 x 125

## REMOVES BROKEN TIPS




**PUNCH FOR FLARED TIPS**





**PATENTED**

## UNIVERSAL DIESEL GLOW PLUG PULLER




HU41051

**SPECIAL  
CENTERED MILLS**



## GLOW PLUG THREAD REPAIR SET M8, M9, M10X100, M10X125



HU41058



Inserts available separately



## UNIVERSAL INJECTOR PULLER

- Eliminates the need to remove the electrical part of the injector
- Two ways of extracting the injector:
  - by rotating (handle)
  - by rotating AND slide hammering

**DENSO, BOSCH, DELPHI, SIEMENS**

**COMMON RAIL & PIEZO INJECTORS**

**COMPATIBLE CARS 1999 > TODAY**



**OPTIONNAL SPECIAL  
ADAPTER FOR FORD ENGINES**  
HU41055-6



**HU41055**

**PATENTED**


## LOW PROFILE PNEUMATIC DIESEL INJECTOR PULLER WITH HANDLE

**NEW**

- Seized Diesel injector removal tool that combines the power of a slide hammer with the speed of a pneumatic tool
- Compact design allowing to use on most vehicles even when the firewall is in the way (47mm shorter than the competitors !)
- Comes with a handle to easily place and remove the puller on the injector and to hold the tool when the injector comes off, avoiding the puller to fall on the engine while still "hammering" and risking to damage expensive parts such as plastic intakes.
- Can also be used without the handle in tight spaces
- Handle is designed to avoid contact with the hand during use
- Can be set to work slowly with full stroke (hammering effect) or quickly with slightly shorter stroke (Vibrating effect)
- Standard garage air pressure and air flow is sufficient for the tool to operate at 100%
- Includes the adapter sizes M14, M17, M20, M25 and M27 (internal thread of the injector) to fit the Denso, Siemens, Delphi and Bosch injectors




**HU41056**



## DIESEL INJECTOR SEAL EXTRACTOR





**PATENTED**



**HU41010**

## UNIVERSAL INJECTOR SEAT CLEANING SET



**HU41039**



**PATENTED**

**Lugdriller**  
HUBITOOLS DESIGN

## LOCKING LUG NUT REMOVAL SET

- The Lugdriller® is the universal tool to remove the most difficult locking lug nuts in the quickest and safest way.



**HU42025**

## SOLID FULL CARBIDE TURBODRILL

Quicker drilling with HU42025 Lugdriller



**HU42026**

**NEW**

## CV BOOT INSTALLATION TOOL

**NEW**

- Suitable for all universal CV joint boots (soft).
- Max. joint diameter: 115 mm.
- Pressure is automatically released when the spreading arms expand to the limit (115mm).
- Pressure release button.
- Extremely robust spreading arms.
- Air compressor connection: quick coupling 1/4"NPT.
- Working pressure: 4–7 bar.



**REINFORCED  
ARMS**

**PRESSURE  
RELEASE  
BUTTON**

**PRECISE  
OPENING  
CONTROL**

**HU43030**

**AIR IN**



## ARTICULATED STRUT LIFTER

**PATENTED**

**Ideal for the following operations:**

- Removal and installation of struts
- Removal and installation of drive shaft
- Removal and installation of arms and hub ball joint separation
- No risk of damage to parts such as sensors, wiring harness, plastic protection, body
- Supports the strut on the vehicle: Max. 500Kg
- To be mounted on 30mm hydraulic transmission
- POM (polyoxymethylene) clamping jaws to avoid damage to the strut.
- 3 sizes of jaws: light vehicle, light commercial vehicle, rear shock absorbers
- Depth and tilt adjustment
- 100% safe work
- Operator has both hands free to work safely



ALSO WORKS ON EV & HYBRID CARS  
TO BE MOUNTED ON ANY  
TRANSMISSION JACK (25-30mm)



**HU43025**

## HUB SPREADER

**NEW**

Designed to open and hold the wheel hub, facilitating the easy removal and refitting of the suspension strut.



**HU43026**

## DRIVE SHAFT DISASSEMBLY LEVER

**NEW**

- Ideal for snap-ring drive shafts (Alfa Romeo, BMW, Citroen, Dacia, Ford, Fiat, Hyundai, KIA, Mazda, Mercedes, Mini, Nissan, Opel, Peugeot Renault, Toyota, Volvo ...)
- U-shaped design for equal force on both sides of the drive shaft



**HU43027**

## BOOSTER LITHIUM PRO 12 V - 2000 A

**NEW**

- 12v
- LiFePO4 battery
- Peak current: 2000A
- Starting current: 1000A
- Capacity 59,2 Wh
- Dimensions : 133 x 120 x 260mm
- Key features : Upright design with built-in cables, clamp tray on the back, strong magnet on the base, powerful white or red LED light on the front



**HU34040**

## 1200A - BOOSTER 4-CELLS BATTERY TECHNOLOGY

- 12v
- LiFePO4 battery
- Peak current: 1200A
- Starting current: 500A
- Capacity 16,000mAh (59,2 Wh)
- Dimensions : 227 x 100 x 32mm
- Key features : Compact design to carry everywhere, jump cables can be disconnected to use booster as powerbank, LED light



**HU34036**

## BOOSTER 1200A 12V / 600A 24V

- 12v & 24v
- LiFePO4 battery
- Peak current: 12v 1200A, 24v 600A
- Starting current: 12v 600A, 24v 300A
- Capacity 35,000mAh (102,4 Wh)
- Dimensions : 292 x 233 x 79mm
- Key features : Both 12v and 24v, High capacity LFP battery for long cycles of use before having to recharge, professional design with long cables and loop cable storage, LED light



**HU34035**



## START & STOP BATTERY & ELECTRICAL SYSTEM ANALYZER

Battery tester with printer



HU34012

## USB BATTERY & ELECTRICAL SYSTEM ANALYSER

Battery tester with standard size printer  
Large Screen  
USB Output



HU34039

## BLUETOOTH BATTERY TESTER + LIVE MONITORING

Key features :

- Free app to use on any Android or IOS device
- Battery test, battery charging system test
- LIVE VOLTAGE MONITORING for BMS system test



HU34045

## BATTERY CHARGER/ MAINTAINER/ POWER SUPPLY 1.5/10AMP

10A battery charger/maintainer/power supply

Key features :

- Compatible with all battery types including Li-Ion
- Smart charging process
- Ideal for showroom vehicle power supply
- Supplied with eyelet cord to leave permanently connected to the battery for easy connection (battery charge maintaining – classic cars, motorbikes or any other vehicle that is not daily driven)

Start (A) Stop



HU34027

## AIR VACUUM DENT PULLER

- Vacuum sliding hammer to pull dents without grinding or damaging the paint
- Can be used for PDR (paintless dent removal) but also prior to grinding the paint on a regular dent repair work
- Supplied with 3 different suction cups
- Operates using standard garage compressed air
- Sliding hammer's weight: 1,2kg, total weight: 4,7kg



HU44016

## 5 PIECE TRIM CLIP LIFTER SET

- Ideal for plastic clip removal
- Sturdy and super slim design
- Will not bend like the plastic levers do



HU44019

## POCKET FLOODLIGHT 700LM

- Swiveling compact LED floodlight with rechargeable Li-Ion battery
- Strong base magnet
- Super sturdy aluminum body
- 3 levels of brightness – 100 / 350 / 700 lumens
- Run time – 10hr / 4 hr / 2hr



HU21045


**NEW**

## GLOSSMETER

- Accurately check the level of gloss of any material including paints (glossy or matt), plastics, etc.

**Perfect tool for :**

- OEM quality control (at the factory or at the dealer)
- Car detailers proof of the work done
- Car body repair
- Insurance experts



HU14015



## ULTRASONIC LEAK DETECTOR

Designed to locate:

- Any "airflow" leak with the receiver – tire leak, air-conditioning system leak, ...
- Any glass seals, doors seals, tail lights seals, ... Leaks using the emitter to create a sound frequency on one side of the seal and the receiver on the other side. Hearing the frequency = Leak found.



HU14001



## 2-IN-1 HOT AIR PLASTIC WELDING STATION

**NEW**

### Hot air welder

- Adjustable flow and temperature designed for professional welding with plastic flat rods.
- No heating time required. Switch it on and start welding immediately.
- Ensures a robust weld and allows precise addition of plastic material needed for the repair.
- Supplied with several materials of welding rods.
- Automatic hot air shut-off when the handle is put back on the holder.
- Temperature range: 100°C to 500°C.
- Air flow: 3L/min to 24L/min.

### Airless iron welder

- Adjustable temperature.
- Ready-to-use in less than 30 seconds.
- Specially shaped heating tip for melting plastic, applying a mesh reinforcement, repairing or replacing a parking sensor bracket, etc.
- Temperature range: 50° to 480°C.



**HU31040**



## COMPLETE SET FOR PLASTIC REPAIR

- Cordless plastic repair tool
- 30W lithium-battery powered device with pencil-style body and three dedicated tips:
  - Universal plastic melting tip
  - Plastic injection tip using the supplied plastic rods
  - Staples tip using the supplied staples



**HU31031**

## CLEAN FUEL EXTRACTOR

- Vacuum fuel extractor
- ATEX approved
- Operates using standard garage compressed air
- NO electrical motor – no spark – no risk of fire



HU46005

## UNIVERSAL COOLING SYSTEM PRESSURE TESTER MASTER KIT



AB70809

## QUICKFLOW DRILL PUMP TRANSMISSION SET

- Gear pump, high flow for quick work.
- Ideal for transmission service, but also for rear ends,
- transfer cases, ...



AB71197

## COOLING SYSTEM REFILLING GUN

- No bubble in the cooling system using this vacuum refilling gun !
- Works on all ICE vehicles, but also on HEV and EV



AB70880



## 3PCS RATCHETING WRENCH & RATCHETING DRIVER SET

Reach the most tucked-in nuts, bolts and screws with these super compact wrenches



HU45119

## 10 PCS ROUNDED FASTENER EXTRACTOR SET (8-17MM)


Unscrew rounded nuts and bolts



HU45115

## 8 PCS HEX EXTRACTOR BIT SOCKET SET

Unscrew rounded or damaged HEX (Alen) screws




1/4" DR 2, 2.5, 3, 4, 5, 6MM - 3/8" DR 7, 8MM

HU45116

## 7 PCS TORX EXTRACTOR BIT SET

Unscrew rounded or damaged Torx screws




1/4" DR T10, T15, T20

HU45117

## AIR COMBS

AIR COMBS 30cm - 60cm - 90cm - 120cm

Reaches tight places a regular air blow gun can't reach.



30 cm

HU14011



60 cm

HU14012



90 cm

HU14013



120cm

HU14014



**MORE INFORMATION ON OUR YOUTUBE CHANNEL**



**[WWW.YOUTUBE.COM/HUBITOOLS](http://WWW.YOUTUBE.COM/HUBITOOLS)**

**FOLLOW US**



**[WWW.HUBITOOLS.COM](http://WWW.HUBITOOLS.COM)**