Hubitools









ENGLISH



ITALIANO









With over 40 years experience in the distribution of innovative tools, Hubitools is your key partner in the automotive and industrial repair sector.

Since 2016, we've been developing our own Hubitools Design range, featuring unique, patented tools designed to help professionals solve common problems in modern vehicles.

In addition to our patented products, we have long been the exclusive European distributor for international manufacturers of quality tools.

We offer our partners a complete service from A to Z: multilingual marketing packages, technical training in our video studio, after-sales service and private-label customization.





NEW PRODUCT HIGHLIGHTS NUOVI PRODOTTI























AUTOMATIC BRAKE BLEEDER 12V

SPURGAFRENI AUTOMATICO 12V

- Compatible with ABS/ESP systems
- 12v powering with reverse polarity warning
- Stainless steel body
- Electrical pump (O to 3,5 Bar) with automatic power off valve
- Regulator from 0 to 3,5 Bar
- 5L reservoir with visible (min) level indication
- · Auto power-OFF when min level is reached
- · Large reservoir opening for easy cleaning
- 12V power cable with jack (L: 4m)
- For brake fluid with quick coupling system (L: 4m)
- · Delivered with fluid refill reservoir with chain and universal screw-on adaptor (compatible with 85% of vehicle fleet)
- Optional: 110-230V AC to 12V DC power supply (HU11033).





MASTER CYLINDER ADAPTER SET



SET ADATTATORI PER SPURGAFRENI

- 10 dedicated caps
- 1 universal cap
- 1 90° adapter
- 1 syringe



HU11004

NEW



BRAKE BLEEDING RATCHETING WRENCH

CHIAVE A CRICCHETTO PER SPURGAFRENIFRENI

· Enables a clean brake bleeding job without removing the wheels of the vehicle

 Patented brake bleeding 2-way ratcheting wrench with special short and long socket - size metric 7, 8, 9, 10, 11, 12.

Includes a high-quality silicon hose.









UNIVERSAL BRAKE BLEEDER CAP ADAPTER



ADATTATORE UNIVERSALE PER SPURGAFRENI

- The universal solution to connect to the master cylinder reservoir for pressure bleeding with (for example) our HU11030 or HU11006
- · Compact design with 90° quick coupler, will fit even when the reservoir is hard to reach
- · Clamps on the threaded or 1/4 thread part of the reservoir (no chain under the reservoir)
- · Adjustable height and width
- · 4 interchangeable rubber cones to fit all sizes of reservoirs







NEW

ELECTRONIC BRAKE PRO BLEEDER

SPURGAFRENI ELETTRONICO PROFESSIONALE

- Digital pulse pressure adjustment from 0.5 to 4.5 bar (7.25 to 65 psi)
- Automatic levelling of the master cylinder reservoir at the end of bleeding
- · LCD colour display with 6 selectable languages (EN, FR, DE, IT, NL, ES)
- · Automatic shut-off if :
 - wrong pressure is detected
 - There is a leak in the braking system
 - The new DOT drum or can is empty
- Flush mode allowing the use of another fluid (DOT)
- · Heavy duty design for intensive use
- · Powered by the vehicle's 12V battery
- Optional: power supply via auxiliary 12V battery or 110-230V AC to 12V DC transformer (HU11038).
- · Cable and hose length: 5 m
- Supplied with European master cylinder cap, waste fluid collection bottle and rubber cone for drum and canister

CONFIGURATIONS:

HU11030: Portable version up to 20 L HU11035: On trolley version up to 60 L

Also available : HU11036: Trolley only

(to upgrade the portable version to on trolley version)













UNIVERSAL PRESSURE TESTER



TESTER UNIVERSALE DI PRESSIONE

Kit includes:

- 7" Color TFT display with resistive touch panel
- Sensor -1 to 3 bar
- · Sensor O to 300 bar
- Universal diesel compression adaptor
- · Universal petrol compression adaptor
- 9 specific professional quick coupling adaptors
- Vacuum adaptors
- Battery : LiPo 3,7 V / 2000 mAh
- PC connection via USB port
- ABS enclosure with rubber bumper (Hubitools design)



HU35025

A SINGLE KIT FOR ALL PRESSURES



Cooling system pressure



Oil pressure



Fuel low pressure



Turbo pressure



Vacuum pressure



AdBlue pressure



Compression PETROL & DIESEL



Particle filter pressure







CAZ





PRESSUREDIAG







HU35042

Can be connected to any Turbo manometer or to the HU35025 PressureDiag

PATENTED



UNIVERSAL DIESEL GLOW PLUG COMPRESSION ADAPTER

ADATTATORE DI COMPRESSIONE PER CANDELETTE DI PRERISCALDO DIESEL

HU35039

M8x1, M9x1, M10x1 & M10x1,25

PATENTED



UNIVERSAL DIESEL COMPRESSION ADAPTER

ADATTATORE UNIVERSALE COMPRESSIONE DIESEL

HU35037

Can be used with any analogic compression tester





HU35041



DIESEL HIGH PRESSURE SET

KIT ALTA PRESSIONE DIESEL

HU35026

Measure the common rail pressure (M12x150)



90° COMMON RAIL ADAPTER SET

KIT ADATTATORI COMMON RAIL 90°

HU35028



BMW DIESEL ADAPTER SET M15 X100

KIT ADATTATORI DIESEL BMW M15 X100

HU35032



COMMON RAIL DUMMY REGULATOR SET

KIT REGOLATORI FINTI COMMON RAIL

PRESSUREDIAG







KIT TAPPI INIETTORI COMMON RAIL M12 Y M14 X150

HU35030



CYLINDER LEAKAGE TESTER

TESTER PERDITE CILINDRI

HU35027

- \bullet Can be used with the HU35025 PressureDiag OR with the inculded
- analogic gauge
- Gasoline adapters included : M10, M12 et M14
- Can be used with the diesel adapters from the PressureDiag range



OIL PRESSURE ADAPTER SET

KIT ADATTATORI PRESSIONE OLIO

HU35033

- •10 Common size adapters
- 4 Turbo Banjo adapters
- •1 Short 90° adapter



GASOLINE HIGH PRESSURE ADAPTER SET (5 PCS)

■ KIT ADATTATORI ALTA PRESSIONE BENZINA (5 PCS.)

HU35029

For GDI high fuel pressure engines



AIR CONDITIONING ADAPTER SET

KIT ADATTATORI ARIA CONDIZIONATA

HU35038

- 2 High pressure connectors
- 2 Low pressure connectors



FUEL LINE SWIVELING QUICK DISCONNECT TOOL

PINZA SNODATA PER IL DISTACCO RAPIDO DELLA

LINEA CARBURANTE



NEW

RECHARGEABLE DIGITAL WIRELESS STETHOSCOPE

STETOSCOPIO DIGITALE SENZA FILI RICARICABILE

• NOISE DETECTION - Detect the source or squeaks, rattles, and other errant or troublesome noises throughout a car or truck's chassis

• LCD TOUCHSCREEN - 4.3-inch color LCD touch sensitive screen equipped control unit with easy to use interface.

• RECHARGEABLE - Control unit and transmitters feature internal rechargeable batteries





STE97605



WIRELESS ELECTRONIC STETHOSCOPE

STETOSCOPIO ELETTRONICO SENZA FILI

NOISE DETECTION - Detect the source or squeaks, rattles, and other errant or troublesome noises throughout a car or truck's chassis









RECORDING CABLE



CAVO DI REGISTRAZIONE

RECORD your test on any IOS or Android device and SHARE them EASILY. Compatible with STE97605 and STE97216







ULTRASONIC STETHOSCOPE



STETOSCOPIO A ULTRASUONI

- · High sensitivity and quality leak detection
- Inspect and check vacuum and compressed air leaks (compressed air/gas installation ...), HVAC Leaks, electrical systems (insulation breakdown, arcing, relays,...), LPG system, tire leaks, tightness of passenger compartment.







NEW

ARTICULATED VIDEOSCOPE 2 WAYS - 3.9 MM


VIDEOSCOPIO ARTICOLATO A 2 VIE - 3.9 MM

3,9mm thin and 2 ways, 180° articulated camera to get the best possible view in the tightest areas. Snaps pictures, records videos for traceability and customer proof or OEM warranty claims.

- · 3,9mm diameter, 2 way articulated probe
- 6 LEDs adjustable level of brightness
- 5" screen with 1280 x 720 pixel resolution
- Temperature displayed on screen
- · Rechargeable lithium battery







NEW

VIDEOSCOPE DUAL LENS 3.9 MM

VIDEOSCOPIO A DOPPIO OBIETTIVO 3.9 MM

- · High quality compact videoscope
- Runs on rechargeable Lithium battery
- · Petrol, diesel, oil & waterproof probe with dual HD camera front and side view
- With a 5-inch HD IPS color screen that features scratch-resistant tempered glass and maintains excellent visibility even in bright
- Powerful ring LED light source on both lenses



SPEAKER & MIC VOCAL ANNOTATION



3500mAh **LITHIUM BATTERY**



5-INCH HD SCREEN





LEAK DETECTION SMOKE MACHINE



MACCHINA A FUMO PER RILEVAMENTO PERDITE

- The Smoke Machine ensures efficient detection of leaks in arious closed circuits (cooling systems, fuel systems, exhausts, turbos, etc.) and watertight compartments (like engine blocks).
- Designed for professional automotive smoke diagnostics.
- · Includes a bottle of smoke producing oil, a complete set of accessories and bladder.
- · Integrated air compressor : 1,3 bar





HU12020









MITYVAC METAL VACUUM & PRESSURE PUMP



POMPA MANUALE MITYVAC PER VUOTO E PRESSIONE

The ORIGINAL and BEST hand pump that can produce and measure vacuum OR pressure with equal performance and precision. Features an ergonomically designed handle.

















SENSOR SIMULATOR



SIMULATORE DI SENSORI

- · The ideal tool to simulate and actuate the output signal from automotive sensors: frequency, voltage and test sequences
- It will help you in your diagnostic when scan tool diagnosis ends. Sensors, injectors, actuators will inform the scan tools that there is a problem, but the sensor simulator will allow the technician to know if the faulty operation is a faulty sensor, a problem in the car computer, a defect in the wiring...
- The device is specially used for wiring tests.





RESISTANCE • VOLTAGE • WAVE SINUS • SQUARE SINUS • TEMP COEFFICIENT SENSOR • THROTTLE & PEDAL SENSOR • OXYGEN LAMBDA SENSOR TEST (O2) • EXHAUST GAS PRESSURE SENSOR (EGR) • COMMON RAIL PRESSURE SENSOR • CAMSHAFT POSITION SENSOR (CMP) • CRANCKSHAFT POSITION SENSOR (CKP) • KNOCK SENSOR • MAP SENSOR • ABS SENSOR • MAF SENSOR • HVAC PRESSURE SENSOR



NEW



AIRBAG SIMULATOR RESISTOR RESET KIT


KIT RESET AIRBAG CON RESISTENZE



- · These simulators are intended for diagnostic use only
- · Plugging them in place of the components listed below will make the SRS ECU (computer) believe the component is connected:
 - Steering wheel airbag
 - Passenger dash airbag
 - Curtain airbag
 - Side airbag
 - Seat belt pretensioners
 - Any other component of the SRS System with an inflator
- Using these with the proper resistance allows for testing the SRS system after a crash, making sure the system is fine BEFORE changing costly components.
- Changing the ECU without testing the system implies a risk of locking the ECU.
- In case of SRS/Airbag dash light, it enables to diagnose a faulty airbag. Simply plug the sticks in place of the airbag and check if the light switches off.
- Most competition kits only have 1 resistance of 2.5ohms. Our kit has 4 plugs with multiple interchangeable resistors to always simulate the airbags/pretensioners with the proper resistance.







HU31026

NEW



AUTOMATIC RETRACTION CABLE



CAVO A RIAVVOLGIMENTO AUTOMATICO

- · No more tangles with the banana cables!
- · Save time and create a cleaner work environment with the 1-meter automatic retraction system.
- · Each end has male and female connection to allow for multiple connections







DIAGNOSTIC TEST LEAD SET (122 PCS) INCLUDES NEW ADDITIONAL Y-CONNECTORS

SET CAVI DIAGNOSTICI (122 PEZZI) INCLUDE NUOVI CONNETTORI «Y»

- · Complete lead kit for automotive diagnostics.
- Y-connectors for in-series test
- Ultra-thin connector for multi-pin connectors
- · Includes a comprehensive set of connection leads for sensors, valves, connectors, injectors,...
- · All leads are arranged properly in pairs "Male & Female" and by terminal sizes.
- Includes ATC adapter Mini and Maxi fuses and ATC Current loop to be used with an Amp









HU31022



6 PCS NEEDLE TEST PROBE SET

KIT 6 PUNTE DI TEST A SPILLO

High quality double insulated silicone test leads Set includes:

- 2 x Cable piercing
- 2 x 90° needles
- 2 x 90° banana cables









NEW

15PCS Y-LEADS SET

SET DI 15 PEZZI DI CAVI «Y»

The Y-leads enable maintaining a closed electrical curcuit while reading the live signal









WINIVERSAL GLOW PLUG TIPS PULLER M8, M9 & M10

ESTRATTORE UNIVERSALE DELLE PUNTE DELLE CANDELETTE M8, M9 Y M10

- Easy to use in hard-to-reach places
- · Enables broken glow plug tips stuck in the cylinder head to be easily removed
- The kit Includes 4 different guides
- · The tap, drill bit and extractor holders reproduce the shape of original glow plug for perfect centering and avoid any damage in the cylinder head
- Self-centering industrial taps
- The size of the drill bits and the shape of the holder prevents any risk of drilling or tapping too far into the cylinder head
- In the event of the tips being flared in the cylinder head, the kit has an ejector that enables the tip to be pushed back into the cylinder before retrieving it with the appropriate magnet included in the kit
- Easy 4-step operation





-> NO MEASURING NEEDED



HU41050

 $1 = M8 \times 100$

 $3 = M10 \times 100$

 $2 = M9 \times 100$

 $4 = M10 \times 125$

REMOVES BROKEN TIPS














ESTRATTORE UNIVERSALE PER CANDELETTE DIESEL













GLOW PLUG THREAD REPAIR SET M8, M9, M10X100, M10X125

■ KIT RIPARAZIONE FILETTI CANDELETTE M8, M9, M10X100, M10X125









Inserts available separately





UNIVERSAL INJECTOR PULLER



ESTRATTORE UNIVERSALE INIETTORI

- Eliminates the need to remove the electrical part of the injector
- Two ways of extracting the injector:
 - by rotating (handle)
 - by rotating AND slide hammering

DENSO, BOSCH, DELPHI, SIEMENS

INYECTORES COMMON RAIL & PIEZO

COCHES COMPATIBLES: DESDE 1999



OPTIONNAL SPECIAL ADAPTER FOR FORD ENGINES HU41055-6



NEW



LOW PROFILE PNEUMATIC DIESEL INJECTOR PULLER WITH HANDLE



ESTRATTORE PNEUMATICO INIETTORI A PROFILO BASSO CON MANIGLIA

- · Seized Diesel injector removal tool that combines the power of a slide hammer with the speed of a pneumatic tool
- · Compact design allowing to use on most vehicles even when the firewall is in the way (47mm shorter than the competitors !)
- · Comes with a handle to easily place and remove the puller on the injector and to hold the tool when the injector comes off, avoiding the puller to fall on the engine while still "hammering" and risking to damage expensive parts such as plastic intakes.
- · Can also be used without the handle in tight spaces
- Handle is designed to avoid contact with the hand during use
- · Can be set to work slowly with full stroke (hammering effect) or quickly with slightly shorter stroke (Vibrating effect)
- Standard garage air pressure and air flow is sufficient for the tool to operate at 100%
- Includes the adapter sizes M14, M17, M20, M25 and M27 (internal thread of the injector) to fit the Denso, Siemens, Delphi and Bosch injectors







DIESEL INJECTOR SEAL EXTRACTOR


ESTRATTORE GUARNIZIONI INIETTORI DIESEL













WE UNIVERSAL INJECTOR SEAT CLEANING SET

KIT UNIVERSALE PULIZIA SEDI INIETTORI

















LOCKING LUG NUT REMOVAL SET



KIT RIMOZIONE DADI ANTIFURTO

• The Lugdriller® is the universal tool to remove the most difficult locking lug nuts in the quickest and safest way.

















EXTRACTOR IN THE LUG



NEW



FULL CARBIDE TURBODRILL



PUNTA IN CARBURO PIENO

Enables quicker drilling with the HU42025 Lugdriller



HU42026

NEW



DRIVE SHAFT DISASSEMBLY LEVER




LEVA SMONTAGGIO SEMIALBERO



- · Ideal for snap-ring drive shafts (Alfa Romeo, BMW, Citroen, Dacia, Ford, Fiat, Hyundai, KIA, Mazda, Mercedes, Mini, Nissan, Opel, Peugeot Renault, Toyota, Volvo ...)
- · U-shaped design ensures equal force on both sides of the drive shaft











RTICULATED MCPHERSON LIFTING TOOL (500 KG)

SOLLEVATORE ARTICOLATO PER AMMORTIZZATORI MCPHERSON (500 KG)

- · Ideal for the following operations:
- Removal and installation of struts / McPherson
- Removal and installation of drive shaft (CV joints)
- Removal and installation of suspension arms and ball joints
- No risk of damage to parts such as sensors, wiring harness, plastic protection, body panels
- To be mounted on 25-30mm hydraulic transmission jacks
- · Soft clamping jaws to avoid damage to the strut.
- 3 sizes of jaws:
 - light vehicle
 - light commercial vehicle (optional)
 - rear shock absorbers (optional)
- · Horizontal adjustment and full articulation

100% safe operation (operator has both hands free to work safely)

Compatible with EV & Hybrid cars





ALSO WORKS ON EV & HYBRID CARS
TO BE MOUNTED ON ANY TRANSMISSION JACK (25-30MM)

NEW



ESPANSORE MOZZO RUOTA

Designed to open and hold the wheel hub, facilitating the easy removal and refitting of the suspension strut.







BATTERY / BATTERIA



NEW

LITHIUM BOOSTER PRO 12V - 2000 A

AVVIATORE A BATTERIA LITIO 12V - 2000 A

- 12v
- LiFePO4 battery
- Peak current: 2000A
- Starting current: 1000A
- Capacity 59,2 Wh
- Dimensions: 133 x 120 x 260mm

Key features :

Upright design with built-in cables, clamp tray on the back, strong magnet on the base, powerful white or red LED light on the front







HU34040



LITHIUM BOOSTER 12V - 1200A

AVVIATORE A BATTERIA LITIO 12V - 1200A

- 12v
- LiFePO4 battery
- Peak current: 1200A
- Starting current: 500A
- Capacity 16,000mAh (59,2 Wh)
- Dimensions : 227 x 100 x 32mm

Key features:

- · Compact and portable design
- Removable jump-start cables
- Powerbank function
- LED light



HU34036

EXAMPLE 2008 LITHIUM BOOSTER 12V-1200A/24V-600A



AVVIATORE A BATTERIA LITIO 12V-1200A/24V-600A

- 12v & 24v
- LiFePO4 battery
- Peak current: 12v 1200A, 24v 600A
- Starting current: 12v 600A, 24v 300A
- Capacity 35,000mAh (102,4 Wh)
- Dimensions : 292 x 233 x 79mm

Key features :

- · Compatible with 12V and 24V vehicles
- · High-capacity battery for long usage cycles before recharging
- · Professional design with long cables
- Powerbank
- LED light





BATTERY / BATTERIA



START & STOP BATTERY & ELECTRICAL **SYSTEM ANALYZER**

ANALIZZATORE DEL SISTEMA ELETTRICO E BATTERIA START & STOP

· Quick check of the charging circuit and battery (including Start&Stop) Wide range

of applications

Includes printer








BLUETOOTH BATTERY TESTER + LIVE MONITORING

COMPROVATORE DI BATTERIE BLUETOOTH + MONITORAGGIO IN TEMPO REALE

Key features :

- Free app to use on any Android or IOS device
- · Battery test, battery charging system test
- · Live voltage monitoring for BMS system test









BATTERY CHARGER/ MAINTAINER/ POWER SUPPLY 1.5/10AMP



Key features :

- · Compatible with all battery types including Li-Ion
- Smart charging process
- · Ideal for showroom vehicle power supply
- · Supplied with eyelet cord to leave permanently connected to the battery for easy connection (battery charge maintaining - classic cars, motorbikes or any other vehicle that is not daily driven)







BODY REPAIR RIPARAZIONE CARROZZERIA

AIR VACUUM DENT PULLER

TIRA AMMACCATURE PNEUMATICO

- · Vacuum sliding hammer to pull dents without grinding or damaging the paint
- · Can be used for PDR (paintless dent removal) but also prior to grinding the paint on a regular dent repair work
- Supplied with 3 different suction cups
- · Operates using standard garage compressed air
- · Sliding hammer's weight: 1,2kg, total weight: 4,7kg





POCKET FLOODLIGHT 700LM



TORCIA LED RICARICABILE 700LM

- · Swiveling compact LED floodlight with rechargeable Li-lon battery
- Strong base magnet
- Super sturdy aluminum body
- 3 levels of brightness 100 / 350 / 700 lumens
- Run time 10hr / 4 hr / 2hr







HU21045



5 PIECE TRIM CLIP LIFTER SET



SET 5 LEVE PER CLIPS

- · Ideal for plastic clip removal
- · Sturdy and super slim design
- · Will not bend like the plastic levers do







BODY REPAIR RIPARAZIONE CARROZZERIA



NEW

2-IN-1 HOT AIR & HOT IRON PLASTIC WELDING STATION


STAZIONE SALDATURA ARIA CALDA 2-IN-1

Hot air welder

- · Adjustable flow and temperature designed for professional welding with plastic flat rods.
- · No heating time required. Switch it on and start welding immediately.
- Ensures a robust weld and allows precise addition of plastic material needed for the repair.
- · Supplied with several materials of welding rods.
- · Automatic hot air shut-off when the handle is put back on the holder.
- Temperature range: 100°C to 500°C.
- · Air flow: 3L/min to 24L/min.

Airless iron welder

- Adjustable temperature.
- Ready-to-use in less than 30 seconds.
- · Specially shaped heating tip for melting
- · plastic, applying a mesh reinforcement,
- · repairing or replacing a parking sensor
- bracket, etc.
- Temperature range: 50° to 480°C.



COMPLETE SET FOR PLASTIC REPAIR

KIT COMPLETO PER RIPARAZIONE PLASTICA

- · Cordless tool designed for efficient plastic repair.
- · Battery-powered device with a 30W lithium battery, featuring a pen-style design for comfortable and precise handling.

Includes 3 specific tips:

- · Universal tip for quick and effective plastic melting.
- · Plastic injection tip, ideal for using the supplied plastic rods for precise repairs.
- · Staple tip, allowing the use of the supplied staples to secure plastic parts during repair.







FLUID TRANSFER TRASFERIMENTO FLUIDI

CLEAN FUEL EXTRACTOR

ESTRATTORE CARBURANTE

- Vacuum fuel extractor
- ATEX approved
- · Operates using standard garage compressed air
- NO electrical motor no spark no risk of fire



HU46005

UNIVERSAL COOLING SYSTEM PRESSURE TESTER MASTER KIT

KIT UNIVERSALE PER TEST IMPIANTO DI RAFFREDDAMENTO



AB70809

QUICKFLOW DRILL PUMP TRANSMISSION SET

POMPA DI TRASFERIMENTO QUICKFLOW

- · Gear pump, high flow for quick work.
- · Ideal for transmission service, but also for rear ends, transfer cases, ...



COOLING SYSTEM REFILLING GUN

PISTOLA PER RICARICA IMPIANTO DI RAFFREDDAMENTO

- · No bubble in the cooling system using this vacuum
- Works on all ICE vehicles, but also on HEV and EV



AB70880


MAGNETIC HOLDERS SUPPORTI MAGNETICI



NEW

MAGNETIC ADJUSTABLE TOOL HOLDER

PORTA UTENSILI MAGNETICO REGOLABILE







NEW

MAGNETIC CAN CLIPS (5 PCS)

CLIP MAGNETICHE PER BOMBOLETTE (5 PEZZI)

- Ideal for workshops or DIY
- Designed to conveniently store and transport cans between the toolbox and the workstation
- Equipped with strong magnets for secure attachment to metal surfaces





HU51020

Set of 5 clips (62 mm diameter)

HU51021

Set of 5 clips (45 mm diameter)







SMART & MOBILE OIL BAR DISPENSER

DISTRIBUTORE DI OLIO INTELLIGENTE E MOBILE

- The Smart & Mobile Oil Bar is a robust, autonomous dispensing unit designed to simplify and optimize fluid management in modern workshops.
- It supports all types of motor and gear oils, and can hold up to 6 x 20L or 6 x 30L containers.
- With an average-sized workshop (6 technicians), the return on investment is reached within 5 to 6 months, thanks to time saved per fill-up, reduced oil waste, and billing accuracy provided by the integrated software.

Efficient. Intelligent. European-Made.

- Battery powered (via a 12V power tool battery, e.g. Milwaukee)
- · Equipped with a high-performance gear pump
- · Adjustable flow speed helps avoid engine spillage and keeps work area clean

Time-saving & Cost-efficient

- Frees up technician time (avg. 5 minutes saved per fill-up)
- · Integrated software reduces risk of using incorrect oil
- Precision dosing = reduced waste (garages lose ~7% of oil due to spills and overfilling)

Smart Connectivity & Traceability

- Full traceability: automatic emails can be sent after each fill with detailed information (operator name, oil type, quantity)
- Connected interface with secure operator login (ID + PIN)
- · Possibility of automated reordering to suppliers when oil levels are low
- · Improved stock management and error-free billing

Comfort & Ergonomics

- · Ergonomic trolley design for easy mobility in the workshop
- Enables technicians to work closer to vehicles



	Traditional Method (Jug)	SMART & MOBILE OIL BAR DISPENSER
Efficiency	Manual process, time-consuming	Autonomous system, saves ~5 minutes per fill-up
Oil Waste	Frequent overfills and spills (avg. 7% loss)	Precise dosing, minimizes waste
Risk of Error	Higher risk of using wrong oil	Software reduces risk of incorrect oil usage
Cleanliness	Risk of spills on floor or engine bay	Controlled flow, avoids drips and keeps work area clean
Traceability	None	Automatic recording: operator, oil type, volume
Billing Accuracy	Errors and omissions are common	Automated, error-free billing
Stock Management	Manual, prone to delays and stockouts	Automatic reorder notifications to supplier
Mobility	Jug must be carried manually	Mobile, ergonomic trolley
Operator Ergonomics	Repetitive bending and lifting, injury risk	Work closer to vehicle, reduces physical

SMART & MOBILE OIL BAR









CATALOG HUBITOOLS 2025

🖸 hubitools.sa 🚺 hubitools 🔃 🔼 hubitools

😚 hubitools.com